

# FINE TOOLS FOR...




- BUILDING
- WOODWORKING
- MAINTENANCE

**Porter-Cable**

*Quality Electric Tools*

Distributed By



## QUALITY ELECTRIC TOOLS...

Portable electric tools are bought not only for today or next week, but for many years to come. You, as a prospective owner, are interested in obtaining a machine that will more than justify your investment. Whatever tool you may need . . . drill or chain saw, sander or portable saw . . . your primary concern is rugged durability and trouble-free performance. Without them, your portable tool is money wasted. With them, good jobs are accomplished in less time and you have the satisfaction of knowing you own "the best."

At Porter-Cable, "Quality Electric Tools" means almost half a century of outstanding portable tool specialization . . . and the continuing effort to produce better portable machines. It means time-tested quality, seen and unseen . . . the finest materials, expert tool craftsmanship, lasting strength, controlled precision, thorough testing and inspection of every machine.

We suggest you try a Porter-Cable machine on your next job . . . see for yourself why they are known everywhere as "Quality Electric Tools."

President

# Porter-Cable

*Quality Electric Tools*

The Porter-Cable trade-mark is your assurance that you have bought the finest portable tool your money can buy.

## GUARANTEE

All Porter-Cable machines have been carefully tested and inspected at the Factory and are guaranteed to be free from any defect in material or workmanship. The Company will, under this guarantee, repair or replace any parts which prove, upon examination, to be defective. The complete machine must be returned prepaid to the Factory, a Factory Branch, or any Authorized Service Station. Repairs made by other than the Authorized Agencies automatically voids this guarantee.



The following Porter-Cable machines have been listed under the Re-examination Service of the Underwriters' Laboratories, Inc.: A-2, A-3, A-4, A-6, A-8, BK-10, BK-12, D-6, 103R, 106A, 107, 108, 109, 115, 116, 125, 126, 127, 131, 136, 137, 500, 503, 507 (or 521), 508 (or 522), 509, 515, 516, 517, 524, 1100 Motor, 5504 Motor, and 5511 Motor.

## NOTE TO DEALERS

Dealer classification, by letter, is shown at the top of each tool listing in this catalog. "A" Dealers may handle all products where the letter "A" appears; "B" Dealers may handle all products where the letter "B" appears; etc.

## PORTER-CABLE AUTHORIZED SERVICE STATIONS

All Service Stations are required to meet rigid standards regarding parts, prices, methods, workmanship, equipment and guarantee. Service Stations

are inspected regularly by the Porter-Cable Service Department to make sure that they maintain these standards.

\*Atlanta 3, Ga. . . . . Porter-Cable Machine Co., 83 Mills St., N. W.  
 Baltimore 2, Md. . . . . Roland Electric Co., 418 E. Pratt St.  
 Binghamton, N. Y. . . . . H. P. Marsh Co., 65 Glenwood Ave. at Lake Ave.  
 Boston, Mass. . . . . W. J. Connell Co., 210 Needham St., Newton Upper Falls  
 Buffalo 14, N. Y. . . . . Alfred C. Kollmar, 364 Dewey Ave.  
 \*Chicago, Ill. . . . . Porter-Cable Machine Co., 5707 W. Division St.  
 Cincinnati, O. . . . . Matlock Electric Co., 1456 Harrison St.  
 \*Cleveland 14, O. . . . . Porter-Cable Machine Co., 1465 St. Clair Ave.  
 Columbus, O. . . . . B. R. Shoemaker, 1201 Christopher St.  
 Corpus Christi, Tex. . . . . Smith Shields Electric Works, 314 S. Chapparral St.  
 \*Dallas 4, Tex. . . . . Porter-Cable Machine Co., 1712-14 So. Akard St.  
 Denver 4, Col. . . . . Bill Bartell Tool Service, 39 W. 11th St.  
 Des Moines, Ia. . . . . Wieland's Service, 909 6th Ave.  
 \*Detroit, Mich. . . . . Porter-Cable Machine Co., 17217 Wyoming Ave.  
 El Paso, Tex. . . . . Francis Wagner Co., 1225 Texas St.  
 Greensboro, N. C. . . . . Starr Electric Co., 1421 Battleground Ave.  
 Houston 3, Tex. . . . . Welders Supply Co., 3301 Polk at Sampson  
 Indianapolis 1, Ind. . . . . Complete Electric Service, 2811 E. New York St.  
 Jacksonville, Fla. . . . . Turner Elec. Works, 1020 E. 8th St., P. O. Box 4247  
 \*Kansas City, Mo. . . . . Porter-Cable Machine Co., 1649 Jarboe St.  
 Little Rock, Ark. . . . . Wooley Electric Co., 707 Center St.  
 Livingston, Mont. . . . . J. Manzari, P. O. Box 652  
 \*Los Angeles 15, Calif. . . . . Porter-Cable Machine Co., 1634 So. Flower St.  
 Louisville, Ky. . . . . Ellingsworth Auto Electric Co., 1009 East Broadway  
 Memphis, Tenn. . . . . Tri-State Armature & Elec. Co., 321 E. Butler  
 Miami 3, Fla. . . . . Florida Electric Motor Co., 235 N.W. 2nd Ave.  
 Milwaukee, Wis. . . . . Industrial Elec. Motor Service, 1316 N. 12th Lane  
 Minneapolis, Minn. . . . . General Parts & Supply, 64-66 Glenwood Ave.  
 Newark, N. J. . . . . Able Portable Electric Tool Co., 85 Columbia St.  
 New Haven, Conn. . . . . New Haven Elec. Mach. Co., 697 Congress Ave.  
 New Orleans, La. . . . . New Orleans Armature Works, 2311 Tchoupitoulas St.  
 \*New York 12, N. Y. . . . . Porter-Cable Machine Co., 101 Crosby St.  
 Oklahoma City 3, Okla. . . . . Hohmann Appliance Service, 316 N. W. 6th St.

\*Philadelphia 30, Pa. . . . . Porter-Cable Machine Co., 1819 Fairmount Avenue  
 Pittsburgh, Pa. . . . . Snyder Electric Co., 1919 Chateau St.  
 Portland 9, Ore. . . . . Cyrus Electric Tool Co., 326 N. W. 6th  
 Providence, R. I. . . . . H. R. MacBain, 417 Main St.  
 Richmond 21, Va. . . . . Roy's Electric Motor Service, 3201 Norfolk St.  
 San Antonio, Tex. . . . . Electric Motors Serv. & Sales, 900 E. Commerce St.  
 Salt Lake City, Utah . . . . . Electric Motor & Supply Co., 351 W. Fourth St.  
 \*San Francisco, Calif. . . . . Porter-Cable Machine Co., 1101 20th St.  
 Schenectady, N. Y. . . . . Barrett Electric Service Inc., 108-116 Henry St.  
 Seattle 22, Wash. . . . . Trace Electric Co., 1524 12th Ave.  
 Spokane, Wash. . . . . K. & N. Elec. Motors Inc., 1311 N. Washington St.  
 St. Louis, Mo. . . . . Standard Elec. Co., 3880 Washington Blvd.  
 \*Syracuse 8, N. Y. . . . . Porter-Cable Machine Co., 1714 N. Salina St.  
 Tampa 4, Fla. . . . . Patrick Electool Service, 1509 W. Hillsboro  
 Toledo, O. . . . . Electric Tool Service, 1911 Giant St.  
 Utica, N. Y. . . . . Reynolds Service, 804-812 Varick Street  
 Washington, D. C. . . . . Electric Tool Service Co., Inc., 1021 9th St., N. W.

### CANADA



Calgary, Alta. . . . . Electric Crafts, Ltd., 106 6th Ave. W.  
 Edmonton, Alta. . . . . Bennett & Emmott, Ltd., 9639 101A Ave.  
 Halifax, N. S. . . . . Acme Elec. & Mach. Shop, 93 Bilby St.  
 \*London, Ont. . . . . Porter-Cable Power Tools (Canada) Ltd., Osler St., P. O. Box 5019  
 Montreal, Que. . . . . Perco, Ltd., 5272 St. Lawrence Blvd.  
 St. John, N. B. . . . . E. S. Stephenson & Co.  
 Saskatoon, Sask. . . . . Bowman Bros. Ltd.  
 Toronto, Ont. . . . . Electric Repair & Motor Co., 81 St. Patrick St.  
 Vancouver, B. C. . . . . Armature Electric Service, 1055 Seymour  
 Winnipeg, Man. . . . . Luke's Elec. Motor & Mach. Co., 324 Notre Dame St.

### HAWAII

Honolulu . . . . . Craft Center, Ltd., 702 Kapahula  
 \*Factory Sales and Service Branch

## INDEX

|                                              |           |
|----------------------------------------------|-----------|
| Abrasive Belts and Sheets.....               | 7         |
| Band Saw.....                                | 15        |
| Bench Grinders.....                          | 15        |
| Bits and Cutters.....                        | 24, 25    |
| Book, "How to Use Portable Power Tools"..... | 23        |
| Door-Hanging Kit.....                        | 19        |
| Drills and Accessories.....                  | 13, 14    |
| Electric Scythe.....                         | 16        |
| Grass Trimmers.....                          | 16        |
| Hedgshears.....                              | 17        |
| Lock Mortiser.....                           | 23        |
| Planes.....                                  | 18, 21    |
| Porta-Shop.....                              | 6         |
| Routers.....                                 | 18, 20    |
| Sanders:                                     |           |
| Belt.....                                    | 9, 10, 11 |
| Finishing.....                               | 12, 13    |
| Pneumatic.....                               | 11        |
| Sander-Polisher.....                         | 8         |
| Saw Blades.....                              | 7         |
| Saw Table.....                               | 7         |
| Saws.....                                    | 2-6       |
| Shaper Table.....                            | 19        |
| Sharpening Attachment, Bit and Cutter....    | 23        |
| Sharpening Attachment, Plane.....            | 18        |
| Templets                                     |           |
| Dovetail.....                                | 22        |
| Hinge Butt.....                              | 22, 23    |
| Lock Face.....                               | 22        |
| Stair.....                                   | 22        |



## MODEL 115 SAW



7" Dia. Blade

AB

The heavy-duty 115 is used by builders, contractors, and home owners who want to own a rugged all-purpose saw. It contains many features, including the KickProof Clutch, found only in bigger, more expensive machines. Ideal for every type of general cutting operation because of its light weight and extremely powerful motor. This low-priced saw can also be used with the 5010 Saw Table. Also available in economical kit form.

### Specifications

**Motor:** Univ., 115 V, AC-DC, 25-60 Cycle  
(230 V available at extra cost)  
**Blade Type:** Combination (Part No. 24-SB)  
**Blade Size:** 7" dia.;  $\frac{5}{8}$ " round hole  
**Max. Depth of Cut:** 90°-2 $\frac{3}{8}$ "; 45°-1 $\frac{3}{4}$ "  
**Min. Depth of Cut:** 90°-0"; 45°- $\frac{1}{16}$ "  
**Speed:** Idle, 5500 RPM; Load, 4500 RPM  
**Bearings:** Precision Ball  
**Size:** 11" length, 8 $\frac{1}{4}$ " width, 9 $\frac{3}{4}$ " height  
**Cord:** 10'  
**Furnished with Machine:** Wrench (1931-X);  
Operating Manual  
**Net Weight:** 12 $\frac{1}{2}$  lbs.  
**Shipping Weight:** Model 115, 15 $\frac{1}{2}$  lbs.  
Model 115K, 23 lbs.



### Accessory Equipment

23-SB Carrying Case  
13Y-A6 Rip Guide  
25Y-K75 Protractor Gauge  
153-K75 Cross-Cut Guide  
BB-4Y Saw Table Adapter  
50' Extension Cord  
Refer to Page 7 for Saw Blades

### MODEL 115K SAW KIT

**Contents:**  
115 Saw  
24-SB Extra Combination Blade  
23-SB Carrying Case  
13Y-A6 Rip Guide

## MODEL 108 SAW

8 $\frac{1}{4}$ " Dia. Blade

AB

This low-priced Contractor's Special has been designed particularly for the builder who needs the added power and big cutting capacity for all general construction jobs. It combines minimum weight, maximum power and every possible safety feature including the KickProof Clutch and an auxiliary front blade guard. May be used with Saw Table. Available in dollar-saving kit form.

### Specifications

**Motor:** Univ., 115 V, AC-DC, 25-60 Cycle  
(230 V available at extra cost)  
**Blade Type:** Combination (Part No. 24-SA)  
**Blade Size:** 8 $\frac{1}{4}$ " dia.;  $\frac{5}{8}$ " round hole  
**Max. Depth of Cut:** 90°-2 $\frac{7}{8}$ "; 45°-2 $\frac{1}{8}$ "  
**Min. Depth of Cut:** 90°- $\frac{1}{16}$ "; 45°- $\frac{3}{16}$ "  
**Speed:** Idle, 4500 RPM; Load, 3400 RPM  
**Bearings:** Precision Ball  
**Size:** 12 $\frac{1}{2}$ " length, 10" width, 10 $\frac{1}{2}$ " height  
**Cord:** 10'  
**Furnished with Machine:** Wrench (1931-X);  
Spacing Washer (121-A6); Spacing Washer  
(122-A6); Operating Manual  
**Net Weight:** 13 $\frac{1}{2}$  lbs.  
**Shipping Weight:** Model 108, 17 lbs.  
Model 108K, 25 lbs.




### Accessory Equipment

21-SA Rip Guide  
29-SA Carrying Case  
153-K75 Cross-Cut Guide  
25Y-K75 Protractor Gauge  
BB-3Y Saw Table Adapter  
26-YX Gear Grease  
50' Extension Cord  
Refer to Page 7 for Saw Blades

### MODEL 108K SAW KIT

**Contents:**  
108 Saw  
21-SA Rip Guide  
24-SA Extra Combination Blade  
29-SA Carrying Case



## MODEL 521 SAW

7½" Dia. Blade

**A**

A powerful, all-purpose saw that is excellent for scaffold work, trimming, maintenance jobs, etc., because of its convenient size, power, and speed. The 521 is equipped with a KickProof Clutch that eliminates kickback and protects the user, the motor and the work. One hand instant depth and bevel adjustments may be set in seconds. Helical gears deliver 11 per cent more power.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle.  
(230 V at extra cost)

Blade Type: Combination (Part No. 33-K75)

Blade: 7½" dia.; ⅝" round hole

Max. Cut Depth: 90°-2½"; 45°-1½"

Min. Cut Depth: 90°-0"; 45°-0"

Speed, RPM: Idle, 7000; Load, 4500

Size: 11¼" long, 8⅞" wide, 10½" high

Bearings: Precision Ball

Cord: 10'

Furnished with Machine: Wrench (1931-X);

Tube of Grease; Operating Manual

Net Weight: 15 lbs.

Shipping Weight: Model 521, 19 lbs.

Model 507, 31 lbs.

Note: Longer jackshaft can be furnished at slight additional cost to take dado heads and cutters up to 1⅜" wide.



### Accessory Equipment

10-K89 Carrying Case

20-K9 Rip Guide

153-K75 Cross-Cut Guide

25Y-K75 Protractor Gauge

BB-2Y Saw Table Adapter

50' Extension Cord

Refer to Page 7 for Saw Blades


### MODEL 507 SAW KIT

Contents:

521 Saw

10-K89 Carrying Case

20-K9 Rip Guide



## MODEL 522 SAW

8" Dia. Blade

**A**

One of the builders' favorite saws. Ideal for every type of general construction and maintenance work. With big cutting capacity and power, it is perfect for high-speed ripping and framing cuts. This heavy-duty saw also has the KickProof Clutch. Highly recommended for use with Porter-Cable Abrasive Blades for cutting all problem materials including compositions, metals and stone products.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle.  
(230 V at extra cost)

Blade Type: Combination (Part No. 10-K88C)

Blade: 8" dia.; ⅝" round hole

Max. Cut Depth: 90°-2¾"; 45°-2"

Min. Cut Depth: 90°-0"; 45°-½"

Speed, RPM: Idle, 7000; Load, 4500

Size: 12" long, 8⅞" wide, 11½" high

Bearings: Precision Ball

Cord: 10'

Furnished with Machine: Wrench (1931-X);



Tube of Grease; Operating Manual

Net Weight: 17 lbs.

Shipping Weight: Model 522, 21 lbs.

Model 508, 31 lbs.

Note: Longer jackshaft can be furnished at slight additional cost to take dado heads and cutters up to 1⅜" wide.



### Accessory Equipment

10-K89 Carrying Case

20-K9 Rip Guide

153-K75 Cross-Cut Guide

25Y-K75 Protractor Gauge

BB-2Y Saw Table Adapter

50' Extension Cord

Refer to Page 7 for Saw Blades

### MODEL 508 SAW KIT

Contents:

522 Saw


10-K89 Carrying Case

20-K9 Rip Guide

**Porter-Cable**

*Quality Electric Tools*

**SAWS**



## SANDER-POLISHER

Model D-6

AB

This light and portable Sander-Polisher is designed to do hundreds of useful jobs with the wide assortment of accessories that are available. The D-6, for both home and professional use, has all the durability and versatility of a heavy-duty, precision-built tool. Widely used by homecraftsmen, painters, builders, and automobile or maintenance shops.

### Specifications

**Motor:** Univ., 115 V, AC-DC  
25-60 Cycle (230 V available at extra cost)  
**Pad:** Flexible Rubber, 6" dia.  
**Speed:** 3000 RPM  
**Bearings:** Precision Ball  
**Drive:** Helical Gear  
**Shaft:** 5/8" dia.  
**Housing:** Aluminum Alloy  
**Size:** 7 3/8" height, 11 1/8" length, 7 1/2" width  
**Furnished with Machine:** Disc Retaining Nut (5-D6); Rubber Back-up Pad (23Y-D6); Auxiliary Handle (69Y-D6); Wrench

(158-D6); Wrench (1740-X);  
3 assorted Abrasive Discs;  
Tube of Grease; Operating Manual

**Net Weight:** 5 lbs., 13 oz.  
**Shipping Weight:** 9 lbs.


### Accessory Equipment

26-YX Gear Lubricant  
197-D6 Carrying Case  
211-D6 Drill Chuck Key  
34Y-D6 Drill Chuck  
51Y-D6 Lamb's Wool Buff  
59Y-D6 Bench Stand  
70Y-D6 Wheel Adapter  
50' Extension Cord

### Abrasive Discs, 6" dia.

| Part No. | Grit  | Type | Quantity |
|----------|-------|------|----------|
| 31Y-D6   | 3 1/2 | SA   | 8        |
|          | 2     | S    | 2        |
|          | 1/0   | S    | 2        |
| 38Y-D6   | 1/0   | S    | 12       |
| 39Y-D6   | 2     | S    | 12       |
| 40Y-D6   | 3 1/2 | SA   | 12       |

S: Silicon, for wood  
SA: Spaced, for paint removal



HOME KIT

Model D-6HK

### CONTENTS OF KIT

AB

D-6 Sander-Polisher  
23Y-D6 Rubber Back-up Pad  
51Y-D6 Lamb's Wool Buff  
53Y-D6 Pile Fabric Pad  
56Y-D6 Extension Handle  
59Y-D6 Bench Stand  
65Y-D6 Wire Brush Wheel  
66Y-D6 Fabric Wheel Buff  
67Y-D6 Grinding Wheel (4" dia.)  
70Y-D6 Wheel Adapter  
158-D6 Wrench  
195-D6 Jeweler's Rouge  
197-D6 Carrying Case  
1740-X Wrench  
39-YX Tube of Grease  
Assorted Abrasive Discs (3)


## SHOP KIT

Model D-6SK

### CONTENTS OF KIT

AB


D-6 Sander-Polisher  
23Y-D6 Rubber Back-up Pad  
27Y-D6 Abrasive Wheel (7" dia.)  
34Y-D6 Drill Chuck  
35Y-D6 Paint Mixer  
59Y-D6 Bench Stand  
61Y-D6 Drills (1/16", 1/8", 3/16", 1/4")  
65Y-D6 Wire Brush Wheel  
66Y-D6 Fabric Wheel Buff  
67Y-D6 Grinding Wheel (4" dia.)  
70Y-D6 Wheel Adapter  
158-D6 Wrench  
196-D6 Tripoli Rouge  
197-D6 Carrying Case  
1740-X Wrench  
39-YX Tube of Grease  
Assorted Abrasive Discs (3)



SANDER-POLISHER

Porter-Cable

Quality Electric Tools



## 2" x 21" BELT SANDER

Model A-2

AB

Use this powerful, precision-built sander to surface wood, metal, plastic, glass, ceramics and other materials. Ideal for leveling and finishing, fitting sash, screens, storm windows and doors. Use it to smooth composition board, surface furniture and cabinets, refinish boats and level glued joints. Perfect for the hom craftsman or for carpenters who require a good intermittent-duty belt sander.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
(230 V available at extra cost)

Belt Size: 2" x 21"

Belt Speed: Idle, 775 SFPM

Load, 600 SFPM

Drive Pulley: 2" x 2" Rubber-Covered

Shoe Covering: Resilient Cork and Steel

Bearings: Ball, Needle

Frame: Polished Aluminum

Size: 4" width, 12" length, 6" height

Cord: 10'


Furnished with Machine: 2 Dust Deflector

Clips (91-A2); 3 Assorted Abrasive Belts;

Grease; Operating Manual

Net Weight: 9 lbs.

Shipping Weight: 12 lbs.



### Accessory Equipment

13Y-A2 Bench Stand

23Y-A2 Flexible Pad Assembly


25Y-A2 Dust Shield Assembly

33-YX Gear Lubricant

34-YX Grease for Chain

50' Extension Cord

Refer to Page 7 for Abrasive Belts



## 3" x 21" BELT SANDER

Model 136

ABC

It's the new Homemaster Sander designed to meet the needs of the hom craftsman and hobbyist. Produces a fine straight-line finish without ripples or gouges. With the correct abrasive Model 136 quickly handles any surfacing job from rough sanding to fine finishing. Simple, positive controls makes this Sander easy to operate. The special belt tension device permits changing abrasives in seconds. Easy to use in any position—horizontal, vertical, or even overhead.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
(230 Volt Motor available at extra cost)

Belt Size: 3" x 21"

Belt Speed: Idle—1425 SFPM

Load—850 SFPM

Housing: Polished Aluminum

Shoe Covering: Resilient cork and steel

Cord: 7'

Size: 6 1/2" wide, 11 1/4" long, 7" high

Furnished with Machine: 3 assorted abra-

sive belts; Operating Manual

Net Weight: 10 lbs.

Shipping Weight: 15 lbs.




### Accessory Equipment

5017 Bench Stand with Miter Gauge

5018 50' Extension Cord

79YX Assorted Abrasive Belts for Wood


Refer to Page 7 for Abrasive Belts



**Porter-Cable**

*Quality Electric Tools*

**BELT SANDERS**



## FINISHING SANDER

Model 106A

AB

This orbital motion sander can be used for coarse, medium or fine sanding on a variety of materials including wood, plaster, metal, and plastics. Builders and homecraftsmen use it to level wallboard joints, finish cabinets, rub and polish furniture, or fit screens and doors. The gearless design of the 106A assures continuous trouble-free operation.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
(230 V available at extra cost)  
Pad Size:  $3\frac{3}{8}$ " x  $7\frac{1}{8}$ "  
Sandpaper Size:  $3\frac{3}{4}$ " x 9"  
Pad Speed: Idle, 4300 RPM; Load, 4000 RPM  
Orbit Size:  $\frac{1}{4}$ " dia.  
Drive: Rubber Belt  
Bearings: Precision Ball  
Frame: Polished Aluminum  
Size:  $4\frac{1}{4}$ " width,  $9\frac{1}{2}$ " length,  $6\frac{1}{2}$ " height  
Cord: 10'  
Furnished with Machine: Wrench (240-X);  
Package of Assorted Abrasive Sheets (83-YX); Operating Manual  
Net Weight: 6 lbs.  
Shipping Weight: 9 lbs.



### Accessory Equipment

29-OS4 Carrying Case  
61-OS4 Polishing Pad  
14Y-OS4 Rubbing Pad  
15Y-OS4 Sponge Rubber Pad  
50' Extension Cord  
Refer to Page 7 for Abrasive Sheets

### MODEL 106K SANDER KIT

Contents:  
106A Sander  
6-OS4 Drive Belt  
29-OS4 Carrying Case  
61-OS4 Polishing Pad  
15Y-OS4 Sponge Rubber Pad  
1296-X Assorted Abrasive Sheets (10)



## DUSTLESS FINISHING SANDER\*

Model 127

AB

The 127 combines all of the rugged, professional sanding features of the Model 106A Sander together with a highly efficient dust vacuum system. This powerful vacuum picks up over 91% of wood dust as well as removing stock 25% faster. The ideal sander for home-craftsmen, sheet rock men, builders and others who want to sand in clean air comfort.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
(230 V available at extra cost)  
Pad Size:  $3\frac{3}{8}$ " x  $7\frac{1}{8}$ "  
Sandpaper Size:  $3\frac{3}{4}$ " x 9"  
Pad Speed, RPM: Idle, 4300, Load, 4000  
Orbit Size:  $\frac{1}{4}$ " dia.  
Drive: Rubber Belt  
Bearings: Precision Ball  
Frame: Polished Aluminum  
Size:  $4\frac{3}{4}$ " Wide,  $9\frac{1}{2}$ " Long,  $6\frac{1}{2}$ " High  
Cord: 10'  
Furnished with Machine: Dust Bag (68-OS4); Dust Bag Support (91-OS4);  
Wrench (240-X); Package of Assorted Abrasive Sheets (83-YX); Operating Manual  
Net Weight: 6 lbs., 10 oz.  
Shipping Weight: 10 lbs.




### Accessory Equipment

14Y-OS4 Felt Rubbing Pad  
69-OS4 Dust Bag, for Dry Wall Sanding  
81-OS4 Carrying Case  
50' Extension Cord  
Refer to Page 7 for Abrasive Sheets



\*Patent applied for



## FINISHING SANDER

Model 509

A

The 509 is a heavy-duty orbital motion finishing sander that is used for "all day" production surfacing in woodworking shops, auto body shops, paint shops, schools, and construction. Equipped with a sponge rubber pad, it is used to sand curved surfaces. A simplified transmission reduces service problems and assures trouble-free operation.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle (230 V available at extra cost)

Pad Size:  $3\frac{3}{4}$ " x  $7\frac{1}{4}$ "

Sandpaper Size:  $3\frac{3}{4}$ " x 9"

Pad Speed: Idle, 6000 RPM; Load, 5000 RPM

Orbit Size:  $\frac{3}{16}$ " dia.

Drive: Spur Gear with Counterweight

Frame: Polished Aluminum

Size:  $4\frac{3}{4}$ " width, 8" length,  $7\frac{1}{4}$ " height

Furnished with Machine: Wrench (239-X);

Tube of Grease; Package of Assorted Abrasive Sheets (83-YX); Operating Manual

Net Weight: 8 lbs.

Shipping Weight: 12 lbs.

### Accessory Equipment

1045 Carrying Case

1402-Y Rubbing Pad

1403-Y Sponge Rubber Pad

1041-Y Dust Filters (Carton of 12)

55-YX Tube of Grease

61-OS4 Lamb's Wool Pad

Refer to Page 7 for Abrasive Sheets

### MODEL 509K SANDER KIT

Contents:

509 Sander

1042-Y Service Envelope Assembly

1045 Carrying Case

1392-Y Standard Pad (2)

1402-Y Rubbing Pad

1403-Y Sponge Rubber Pad

1041-Y Dust Filters (24)

52-YX Tube of Grease

1296-X Assorted Abrasive Sheets (10)



## $\frac{1}{4}$ " DRILL, Model 137

ABC

This new Homemaster Drill was designed and built by experts to incorporate expensive-drill features such as precision-ground gear chuck, with chuck key attached to cord for convenience; trigger switch with convenient lock button, self-lubricating bronze bearings and full 2300 RPM speed. Designed to power  $\frac{1}{2}$ " drill attachments, Model 137 Drill can be used both in the home shop and around-the-house. Lightweight and compact.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle (230 V available at extra cost)

Capacity: Steel,  $\frac{1}{4}$ "; Wood,  $\frac{1}{2}$ "

Speed: 2300 RPM

Chuck: Gear Type

Bearings: Spindle, self-lubricating bronze, steel ball thrust bearing

Drive: Precision Reduction

Distance from Centerline of Chuck to Top of Motor:  $\frac{1}{16}$ "

Cord: 7'

Housing: Polished Aluminum

Size:  $5\frac{1}{16}$ " height,  $7\frac{1}{2}$ " length,  $2\frac{1}{16}$ " width

Net Weight: 2 lbs. 8 oz.

## HOMEMASTER DRILL KITS

$\frac{1}{4}$ " DRILL HOME KIT, Model 137HK ABC

### Contents of Kit

137  $\frac{1}{4}$ " Drill

7Y-DL1 Rubber Pad, 5" dia.

27-DL5 Drill, Hi-Speed Twist,  $\frac{1}{16}$ "

28-DL5 Drill, Hi-Speed Twist,  $\frac{1}{8}$ "

29-DL5 Drill, Hi-Speed Twist,  $\frac{1}{4}$ "

30-DL5 Lamb's Wool Bonnet, 5" dia.

35-DL5 Abrasive Discs (2) No. 20 Grit

36-DL5 Abrasive Discs (2) No. 36 Grit

37-DL5 Abrasive Discs (2) No. 80 Grit

38-DL5 Carrying Case

28-DL1 Abrasive Disc Retainer

2031-X Abrasive Disc Retaining Screw



$\frac{1}{4}$ " DRILL SHOP KIT, Model 137SK ABC

### Contents of Kit

137  $\frac{1}{4}$ " Drill

11Y-DL5 Horizontal Drill Stand

31-DL5 Arbor Adapter

32-DL5 Wire Wheel Brush, 3" dia.

33-DL5 Buffing Wheel, 3" dia.


34-DL5 Carrying Case

32-DL1 Grinding Wheel 3" dia.

33-DL1 Arbor Adapter Nut

40-DL1 General Purpose Rouge

10Y-DL1 Drills (13) Hi-Speed Twist,  $\frac{1}{16}$ " to  $\frac{1}{4}$ " in  $\frac{1}{16}$ ths



**Porter-Cable**

*Quality Electric Tools*

**FINISHING SANDER  
DRILL, DRILL KITS**



### **1/4" DRILL, Model 107**

### **1/2" DRILL, Model 109**

**AB**

Both these models are used for all types of drilling operations in wood or metal. The 107 Drill is also widely used by carpenters, plumbers, electricians, farmers, and hobbyists. Model 109 has a Geared Chuck, double compound gearing and a precision ball thrust bearing. The spade handle is removable and adjustable for drilling in confined spaces.

#### **MODEL 107**

##### **Specifications**

**Motor:** Univ., 115 V, AC-DC, 25-60 Cycle  
(230 V available at extra cost)  
**Capacity:** Steel, 1/4"; Wood, 1/4"  
**Speed:** 2000 RPM  
**Chuck:** Gear Type  
**Spindle Bearings:** Precision Ball  
**Motor Bearings:** Oil-less Bronze  
**Gears:** Compound Reduction  
**Chuck to Top of Motor Housing:** 7/8"  
**Housing:** Aluminum Alloy  
**Size:** 6 3/8" height, 8 1/4" length, 2 3/4" width  
**Cord:** 7'  
**Furnished with Machine:** Chuck Key (17-DL1); Key Holder (19-DL1); Operating Manual  
**Net Weight:** 3 lbs. 6 oz.  
**Shipping Weight:** 6 lbs. 10 oz.

##### **Accessory Equipment**

**14** 5009 Drill Press

#### **MODEL 109**

##### **Specifications**

**Motor:** Univ., 115 V, AC-DC, 25-60 Cycle (230 V available at extra cost)  
**Capacity:** Steel, 1/2"; Wood, 1 3/8"  
**Speed:** 450 RPM  
**Chuck:** Gear Type  
**Spindle Bearings:** Precision Ball  
**Motor Bearings:** Oil-less Bronze  
**Gears:** Double Compound Reduction  
**Chuck to Top Motor Housing:** 1 1/4"  
**Housing:** Aluminum Alloy  
**Size:** 10 1/2" height, 14 1/4" length, 3 1/4" width  
**Cord:** 10'  
**Furnished with Machine:** Spade Handle (4-DL2); Auxiliary Handle Key (20-DL2); Chuck (22-DL2); Key Holder (17-DL2); Operating Manual  
**Net Weight:** 9 lbs.  
**Shipping Weight:** 10 lbs.

##### **Accessory Equipment**

5012 Drill Press

### **1/4" HEAVY-DUTY DRILL, Model 515**

### **1/2" HEAVY-DUTY DRILL, Model 516**

**A**

Both heavy-duty drills are compact and light weight, yet packed with power and dependability. Ball bearings throughout. Each drill has ideal speed for maximum cutting efficiency on all types of materials. Widely used in every type of production work where rugged "all-day" drilling performance is required.

#### **MODEL 515**

##### **Specifications**

**Motor:** Univ., 115 V, AC-DC, 25-60 Cycle (230 V at extra cost)  
**Capacity:** Steel, 1/4"; Wood 1/2"  
**Speed:** 1800 RPM  
**Chuck:** Gear type  
**Bearings:** Ball throughout  
**Gears:** Compound Reduction  
**Chuck to Top Motor Housing:** 7/8"  
**Housing:** Aluminum Alloy  
**Size:** 6 1/2" high, 7 1/4" long, 2 7/8" wide  
**Cord:** 7'  
**Furnished with Machine:** Chuck Key (12-DL3); Key Holder (19-DL1); Operating Manual  
**Net Weight:** 3 lbs., 12 oz.  
**Shipping Weight:** 5 lbs.

##### **Accessory Equipment**

All equipment listed as contents of Models 137HK and 137SK Kits may also be purchased separately for use with the Model 515 Drill only, with the exception of No. 11Y-DL5 Drill Stand.

#### **MODEL 516**

##### **Specifications**

**Motor:** Univ., 115 V, AC-DC, 25-60 Cycle (230 V at extra cost)  
**Capacity:** Steel, 1/2"; Wood, 1 3/8"  
**Speed:** 550 RPM  
**Chuck:** Gear type  
**Bearings:** Ball throughout  
**Gears:** Double Compound Reduction  
**Chuck to Top Motor Housing:** 1 1/8"  
**Housing:** Aluminum Alloy  
**Size:** 9 7/8" high, 14 1/4" long, 3 1/2" wide  
**Cord:** 10'  
**Furnished with Machine:** Spade Handle (4-DL4); Auxiliary Handle (20-DL2); Chuck Key (22-DL4); Key Holder (17-DL2); Operating Manual  
**Net Weight:** 10 lbs.  
**Shipping Weight:** 11 lbs., 3 oz.

## **VERTICAL DRILL PRESSES**

#### **MODEL 5009**

**Vert. Adj. of Carrier:** 0" to 7" (with 1/4" twist drill)  
**Max. Feed:** 2 5/8"  
**Drill. Rad. from Centerline of Post:** 5 3/8"  
**Height of Stand:** 21"  
**Net Weight:** 6 lbs.  
**Shipping Weight:** 9 lbs.




#### **MODEL 5012**

**Vert. Adj. of Carrier:** 0" to 10" (with 1/2" twist drill)  
**Max. Feed:** 5 1/16"  
**Drill. Rad. from Centerline of Post:** 7 1/16"  
**Overall Height:** 30"  
**Net Weight:** 13 lbs., 6 ozs.  
**Shipping Weight:** 17 lbs.

**STANDARD-DUTY DRILLS  
HEAVY-DUTY DRILLS**

**Porter-Cable**  
*Quality Electric Tools*



## BENCH GRINDERS

All Porter-Cable Bench Grinders contain 115 volt, 60 cycle, single phase, AC Induction motors. (230 volt motors available at no increase in price.) Bench Grinders also contain steel ball bearings, double pole toggle switches and are finished in gray lacquer. Standard equipment with all Grinders includes two Grinding Wheels (36 Grit and 60 Grit). Available Accessory Equipment includes Wire Wheel Brush, Cloth Buff Wheel and Eye Shield.

### Model 116, 1/4 H.P.

AB

Excellent for general all-purpose grinding duty in small shops, garages, home workshops and on farms.

Wheel Size: 6" dia., 5/8" face, 1/2" bore.

Speed: 3450 RPM

Net Weight: 43 lbs.

Shipping Weight: 48 lbs.

### Model 517, 1/3 H.P.

A

Especially recommended for larger automotive and machine shops as well as schools and industrial woodworking shops.

Wheel Size: 7" dia., 3/4" face, 1/2" bore

Speed: 3450 RPM

Net Weight: 51 lbs.

Shipping Weight: 56 lbs.

### Model 518, 1/2 H.P.

A

Similar to 517, but with greater power and capacity. Also widely used in large automotive, machine, maintenance and industrial shops.

Wheel Size: 8" dia., 1" face, 3/8" bore

Speed: 3450 RPM

Net Weight: 78 lbs.

Shipping Weight: 86 lbs.

## PORTABLE BAND SAW

Model 524

AD

Designed for fast, smooth cutting of all ferrous and non-ferrous metals, plastics and problem materials. This portable saw saves time and labor in all industrial and maintenance shops where cutting of metal stock is necessary. Well-balanced, easy to handle. Even inexperienced workers may operate. Assortment of band saw blades available for cutting various materials.

### Specifications:

Motor: Univ. 115 V, AC-DC, 25-60 Cycle  
(230 V available at extra cost)

Capacity: Rectangular stock, 3 1/4" x 4 1/4"  
Round stock, 3 1/4" dia.

Drive: Worm Gear and Chain

Drive Pulley: 6" dia., Rubber-covered

Bearings: Ball, Needle

Frame: Aluminum Alloy

Speed: 240 SFPM

Blade Size: 44 7/8" long, 1/2" wide,

.020" thick; 10 teeth per inch

Machine Size: 19 1/2" long, 7 1/2" wide,  
7 1/2" high

Cord: 10'

Furnished with Machine: Grease (33-YX);  
Operating Manual

Net Weight: 16 lbs.

Shipping Weight: 21 lbs.

### Accessory Equipment

63-MS Carrying Case

50' Extension Cord

15Y-MS 3 Blades, 6 teeth per in.

16Y-MS 3 Blades, 8 teeth per in.

17Y-MS 3 Blades, 10 teeth per in.

18Y-MS 3 Blades, 14 teeth per in.



30Y-MS 3 Blades, 18 teeth per in.

31Y-MS 3 Blades, 24 teeth per in.

20Y-MS Assorted Blades (5)

### Model 524K Band Saw Kit


Contents: 524 Band Saw; 63-MS Carrying Case; 60-MS Blade (10 teeth per in.); 33-YX Tube of Grease; 238-X Allen Wrench; 1769-X 10' Cord and Plug; 20Y-MS 5 Assorted Blades.



**Porter-Cable**

*Quality Electric Tools*

**BENCH GRINDERS  
PORTABLE BAND SAW**



## ELECTRIC SCYTHE

Model 134

ABC

Widely used by professional caretakers and gardeners at parks, estates, and country clubs to trim tall, coarse grasses and weeds. The Model 134 is a heavy duty machine, built for continuous use, yet light in weight and perfectly balanced to permit trimming in "hard-to-get-at" places . . . on steep slopes, terraces; around trees; close to walls, fences, walks. New, exclusive snag-proof feature insures constant high rate of speed in cutting—prevents grass from winding around blade shaft.

### Specifications

**Motor:** Univ. 115 V, AC-DC, 25-60 Cycle  
(230 V at extra cost)

**Drive:** Direct

**Blade:** 7" Hardened Steel, fan action

**Speed:** 7500 RPM

**Switch:** Toggle

**Bearings:** Oil Impregnated Bronze and Heavy-duty Ball

**Housing:** Die-cast aluminum

**Guard:** Heavy Gauge Stamped Aluminum

**Handle:** Aluminum Tubing, Vinyl Plastic covering

**Dimensions:** 36" high, 8" wide,  
52" over-all length

**Cord:** 10'

**Furnished with Machine:** Wrench (240-X);  
Auxiliary Handle (9Y-GTR); Cord Lock  
(21-GTR); Operating Manual  
**Net Weight:** 4 lbs., 14 oz.

### Accessory Equipment

1645-X 100' Extension Cord

10Y-GTR Package of 3, Blades (extra)



## GRASS TRIMMER

Model 135

ABC

The Model 135 is a low-priced Grass Trimmer designed especially for the homeowner. It offers the same features as the more expensive, professional Model 134, including the jam-proof clutch to prevent motor and switch burnouts. Very light in weight and perfectly balanced, the Model 135 is easy to handle. Makes lawn trimming a pleasure instead of a back-breaking chore.

### Specifications

**Motor:** Univ. 115 V, AC-DC, 25-60 Cycle  
(230 V at extra cost)

**Drive:** Direct

**Blade:** 5" Hardened Steel, fan action

**Speed:** 12,000 RPM

**Switch:** Toggle

**Bearings:** Oil Impregnated Bronze and Heavy-duty Ball

**Housing:** Die Cast Aluminum

**Guard:** Die Cast Aluminum

**Handle:** Aluminum Tubing, Vinyl Plastic covering

**Dimensions:** 36" high, 5 3/4" wide, 51 1/2"  
over-all length

**Furnished with Machine:** Wrench (13-JTR);  
Cord Lock (21-GTR); Operating Manual  
**Net Weight:** 3 lbs., 7 1/2 oz.


### Accessory Equipment

1645-X Extension Cord, 100'

10Y-JTR Package of 3 Blades

11Y-JTR Cutter Blade





## HEDGSHEAR

Model 103R

ABC

The light weight 103R Hedshear is widely used for trimming and shaping shrubbery, hedges, and ornamental trees in home lawns, gardens, cemeteries, nurseries, parks, country clubs, and estates. Continuous chain action produces 30,000 cuts a minute. Teeth are honed as they cut. Perfect balance lessens operator fatigue.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
(230 V available at extra cost)  
Drive: Worm Gear and Chain Sprocket  
Cutter Bar: 14 1/4" long, Hardened Steel  
Cutters: Continuous Chain, Self-honing  
Size: 20" length, 3 1/2" width, 5 1/2" height  
Cord: 10'

Furnished with Machine: Auxiliary Handle  
(104Y-HT); Cord Lock (21-GTR); Operating Manual

Net Weight: 6 lbs.  
Shipping Weight: 10 lbs.

### Accessory Equipment

129-HT Canvas Cover for Cutter Bar  
1645-X 100' Extension Cord  
5007 Aluminum Extension Handle  
50' Extension Cord




## PORTABLE GENERATORS

ABC

When no regular power supply is available, use a Porter-Cable Generator. These compact machines will operate any electric tool equipped with universal motors, 10 amps or under. Both generators have convenient handles for easy carrying.

MODEL 118: AC, 1500 Watt; 115 Volt; 13 Amps.; 60 Cycles; 3600 RPM; net wt., 135 lbs.; ship. wt., 155 lbs.

MODEL 119: DC, 1500 Watt; 115 Volt; 13 Amps.; 2800 RPM; net wt., 75 lbs.; ship. wt., 95 lbs.



## HEDGSHEAR

Model 131

ABC

This new Hedshear will trim 100 feet of hedge, top and sides in 30 minutes. Actually, makes fun out of this usually tough job. 500 cuts per second do the work as you guide it. Homeowners can get the same results as professional gardeners and grounds-keepers. The teeth are self-honing and sharpen themselves as they cut.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
(230 V at extra cost)

Drive: Worm Gear

Cutter Bar: 12 1/2" long, Hardened Steel

Cutters: Reciprocating, Self-honing

Bearings: Bronze

Housing: Aluminum Alloy

Size: 19 3/4" long, 3" wide, 6 1/4" high

Cord: 6'

Furnished with Machine: Auxiliary Handle  
(104Y-HT); Grease (1535-X); Cord Lock  
(21-GTR); Operating Manual.

Net Weight: 5 lbs.

Shipping Weight: 9 lbs.




### Accessory Equipment

1645-X 100' Extension Cord

5007 Aluminum Extension Handle  
50' Extension Cord

**Porter-Cable**  
*Yardmaster Tools*

**HEDGSHEARS**



## 3/4 H. P. ROUTER

Model 100

AB

This router is widely used by both homecraftsmen and builders. The home user can do his own grooving, weather-stripping and shelving as well as cutting all types of decorative edges, corners, and surfaces. Builders use it for a countless variety of jobs on wood, plastic and compositions. The Model 100 features an interchangeable motor that is used with the Model 101 Plane or Model 102 Shaper Table.

### Specifications

**Motor:** Univ., 115 V, AC-DC, 25-60 Cycle  
3/4 H. P. (230 V available at extra cost)

**Collet:** Split-type, 1/4" capacity  
(Part No. PR-26)

**Speed:** 20,000 RPM

**Switch:** Recessed double pole

**Housing:** Polished Aluminum

**Sub-base:** Non-marking



**Size:** 5 1/2" width, 7" height, 5 1/2" depth

**Bearings:** Precision Ball  
**Cord:** 10'

**Router Includes:** Motor (Part No. 1100);  
Base (Part No. 1101); 2 Wrenches (PR-27);  
Operating Manual.

**Net Weight:** 5 3/4 lbs.

**Shipping Weight:** 9 lbs.



### Accessory Equipment

PR-47Y Edge Guide


PR-134Y Basic Bit Kit

PR-145 Carrying Case

5011 Sharpening Attachment  
50' Extension Cord

Refer to Pages 24, 25 for Bits and Cutters

Refer to Pages 22, 23 for Templates



## 3/4 H. P. POWER PLANE

Model 101

AB

This low-priced, portable plane is used by furniture manufacturers, novelty shops, and carpenters, as well as homeowners and hobbyists. It planes surfaces up to 1 13/16" wide. The motor may be used interchangeably with the 1101 Router Base or 5004 Shaper Table. This plane gives a professional touch to all woodworking projects.

### Specifications

Power specifications are the same  
as those listed for Model 100 Router

**Maximum Width of Cut:** 1 13/16"

**Maximum Depth of Cut:** 3/32"


**Bevel Adjustment:** Up to 25°

**Size:** 11 1/4" length, 8 1/2" width, 5" height  
**Cord:** 10'

**Plane Includes:** Motor (Part No. 1100);  
Plane Attachment, with Spindle and Cutter  
(Part No. 1102); 2 Wrenches (PR-27);  
Rear Shoe Plate (PR-148); Front Shoe Plate  
(PR-149); Operating Manual

**Net Weight:** 8 lbs.

**Shipping Weight:** 11 lbs.



### Accessory Equipment


1103 Sharpening Attachment  
(Sharpens Model 102 Plane  
Cutters quickly, automatically)

PR-85Y Weatherstrip Guide

PR-145 Carrying Case

50' Extension Cord

Refer to Pages 24, 25 for Bits and Cutters



## 3/4 H. P. SHAPER TABLE

Model 102

AB

This table is used for numerous shaping jobs including moulded or rabbeted edges on irregular shaped work or accurate jointing on straight pieces. In addition to home-craftsmen, many builders also use this shaper for all of their built-in cabinet work. The price of this Shaper includes the Model 100 Router. Same motor unit is used to power Model 101 Plane. Refer to Pages 24, 25 for Bits and Cutters.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle

3/4 H.P. (230 V available at extra cost)

Collet: Split-type, 1/4" capacity

(Part No. PR-26)

Speed: 20,000 RPM

Switch: Recessed Double Pole

Housing: Polished Aluminum

Bearings: Precision Ball

Working Surface: 12" x 3 3/8"

Maximum Height of Cut: 1 1/16"

Depth of Cut: Jointing, 3/32"

Shaping, 3/4"



Size: 12" length, 8 3/4" width, 9 1/2" height

Shaper Complete Includes: Shaper Table (Part No. 5004); Motor (Part No. 1100); Router Base (Part No. 1101); 2 Wrenches (PR-27); Operating Manual

Shaper Table (Part No. 5004) Complete Includes: Spindle (PR-82Y); Circular Bracket (PR-123Y); Clamps (PR-126); Bench Stand (4Y-PS); Table (5003)

Net Weight: 12 lbs.

Shipping Weight: 16 lbs.



## DOOR-HANGING KIT

Model 112

AB

The Model 112 contains every tool necessary to make door hanging quick and easy work. With this compact unit, it is possible for builders and contractors to mortise hinge butts and jamps for all doors in an average house in only 1 to 2 hours. This kit will also prove valuable in many other woodworking operations since standard equipment includes a plane and router.

### CONTENTS OF KIT

(Includes both 111-A and 111 Units)

Hinge Butt Templet Unit No. 111-A includes:



- 5006 Hinge Butt Templet
- GHT-24 Carrying Case
- UKC Corner Chisel
- UB-97 Templet Guide
- UB-99 Lock Nut
- BAA-1L Arbor
- AS-520 Bit

Router-Plane Unit No. 111 includes:

- 1100 Router Motor
- 1101 Router Base
- 1102 Plane Attachment
- 1103 Plane Sharpening Attachment
- PR-47Y Edge Guide
- PR-134Y Basic Bit Kit
- PR-145 Carrying Case

NOTE: If desired, Unit No. 111-A or 111 may be purchased separately.

Shipping Weights: Model 112, 43 lbs.  
No. 111-A, 14 lbs.  
No. 111, 29 lbs.



**Porter-Cable**

*Quality Electric Tools*

**SHAPER  
DOOR-HANGING KIT**



## 1 1/4 H. P. ROUTER

Model 511

A

The 511 is a heavy-duty router used by builders and woodworkers everywhere for a wide variety of cutting and shaping operations. It features an interchangeable motor that may be used with the Model 5517 Power Plane or Model ULM-Y1 Lock Mortiser. Over 150 bits and cutters are available for use with this router. New threadless Kam-Grip chuck provides greatest possible accuracy.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
1 1/4 H. P. (230 V available at extra cost)

Collet: Split-type, Kam-Grip, 1/2"  
(Part No. SRB-24)

Speed: 22,000 RPM

Switch: Recessed Double Pole

Housing: Polished Aluminum

Sub-Base: Non-marking

Size: 8 3/4" width, 9 3/8" height, 5 3/4" depth

Bearings: Oversized Sealed

Cord: 10'



Router Includes: Motor (Part No. 5504);  
Base (Part No. 5505); 2 Wrenches  
(SRB-25); 1/4" Collet (SRB-28); Straight  
Gauge (SRB-7Y); Templet Guide (UB-97);  
Lock Nut (UB-99); Grinding Wheel (11-CG);  
Operating Manual

Net Weight: 8 3/4 lbs.

Shipping Weight: Motor, 8 lbs.  
Base, 6 lbs.

### Accessory Equipment

SRB-14Y Paneling Gauge  
SRB-15Y Alternate Position Adapter  
SRB-16Y Auxiliary Switch Unit  
Refer to Pages 24, 25 for Bits and Cutters  
Refer to Pages 22, 23 for Templets



## 2 1/2 H. P. ROUTER

Model 514

A

This router is a larger, more powerful version of the Model 511. It is excellent for use in heavy production work by large-scale contractors or woodworking plants. The 514 also has the Kam-Grip Chuck together with an easy-to-read calibrated depth adjustment. Versatility of this machine may be greatly increased by use with various Porter-Cable templets, particularly Model UST Stair Templet.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
2 1/2 H. P. (230 V available at extra cost)

Collet: Split-type, Kam-Grip, 1/2"  
(Part No. SRC-24)

Speed: 20,000 RPM

Switch: Recessed Double Pole

Housing: Polished Aluminum

Sub-base: Non-marking

Size: 10" width, 12 3/4" height, 7" depth

Cord: 10'


Router Includes: Motor (Part No. 5511);  
Base (Part No. 5512); 2 Wrenches  
(SRB-25); Straight Gauge (SRC-7Y);  
Templet Guide (UB-97); Lock Nut (UB-99);  
Adapter (D-508); Adapter (D-810);  
Grinding Wheel (11-CG); Operating Manual



Net Weight: 18 lbs.

Shipping Weight: Motor, 17 lbs.  
Base, 12 lbs.

### Accessory Equipment

SRC-15Y Alternate Position Adapter  
SRC-16Y Auxiliary Switch Unit  
Refer to Pages 24, 25 for Bits and Cutters  
Refer to Pages 22, 23 for Templets





## 1 1/4 H. P. PLANE

Model 523

A

This light weight Power Plane is used primarily by contractors and millwork shops to eliminate costly hand-planing operations. It is used with interchangeable router motor, No. 5504. The 523 bevels up to 45°, cuts up to 3/32" deep and has a hardened steel spiral cutter that may be sharpened in seconds with the accessory Sharpening Attachment, Model 5516.

### Specifications

Power specifications are the same as those listed for Model 511 Router.

Maximum Width of Cut: 2 7/16"

Maximum Depth of Cut: 3/32"

Bevel Adjustment: Up to 45°

Size: 18" long, 10 1/4" wide, 8 1/2" high

Cord: 10'

Plane Includes: Motor (Part No. 5504);  
Plane Attachment (Part No. 5517);  
2 Wrenches (SRB-25); Wrench (BP-79);  
Cord Lock (BP-88); Spiral Cutter (SRB-47);  
Cutter Shaft (SRB-48); Wrench (SRB-49);  
Operating Manual

Net Weight: 18 lbs.

Shipping Weight:

Model 523 complete, 20 lbs.

Model 5517 only, 11 lbs.

### Accessory Equipment

5516 Sharpening Attachment, includes:  
BPG-109 Grinding Wheel Arbor  
PRG-17 Grinding Wheel  
SRB-24 1/2" Collet

BP-86C Carbide-Tipped Straight Cutter  
(for use with Model UBM Motor)

BP-90 Carrying Case

SRB-46C Carbide-Tipped Straight Cutter

### MODEL 523K PLANE KIT

Contents:

523 Plane, complete

5516 Sharpening Attachment, complete

BP-90 Carrying Case



## PORTA-PLANE

Model 126

AB

This unit is the fastest, lightest and yet lowest priced, professional power plane on the market today. It operates at 25,000 RPM and high speed is the most important factor in a smooth planing job. The high speed also eliminates chipping on soft woods or glue bonded hardwood doors. Its light weight of 9 1/4 lbs. enables a craftsman to do more planing without tiring. The depth can be regulated at any time during a cut and a narrow shoe throat prevents gouging.

### Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle  
(230°V available at extra cost)

Speed: 25,000 RPM

Cutter: Spiral (Part No. 17-PL)

Max. Width of Cut: 2 13/16"

Max. Depth of Cut: 3/32"

Bevel Adjustment: Minus 15° to plus 45°

Size: 16" long, 8 3/4" wide, 7 3/4" high

Housing: Aluminum Alloy


Switch: Recessed Double Pole

Cord: 10'

Furnished with Machine: Operating  
Manual

Net Weight: 9 1/4 lbs.

Shipping Weight: 10 1/2 lbs.



### Accessory Equipment

24-PL Carrying Case

5014 Sharpening Attachment

### MODEL 126K PLANE KIT

Contents:

126 Plane

5014 Sharpening Attachment


24-PL Carrying Case



**Porter-Cable**

*Quality Electric Tools*

**PLANES**



## HINGE BUTT TEMPLET

Model 5006

AB

It is possible to mortise up to 12 doors and jambs an hour with the low-priced Model 5006 Templet. This simplified templet eliminates measuring and hand chiseling . . . assures correct depth on each mortised butt. Quickly adjustable for 2½" to 5½" hinges . . . doors or jambs up to 7' high. Settings are made directly from a table on the templet.

### Specifications

Frame: Extruded Aluminum

Size (Extended): 1¾" height, 63" length, 4" width

Furnished with Templet: Templet Frame (GHT-101Y); Center Tube Assembly (GHT-103Y); Operating Manual

Net Weight: 3 lbs., 12 oz.

Shipping Weight: 8 lbs.

### Accessory Equipment

GHT-24 Carrying Case

UKC Corner Chisel

GHT-21Y Accessory Kit


includes:

UB-99 Lock Nut

UB-97 Guide

AS-520 Bit

BAA-1L Arbor



## STAIR TEMPLET

Model UST

A

This templet is designed to save time for all large-scale contractors who do a considerable amount of stair work. Not only will the Model UST cut production time, but it assures perfect accuracy on every stringer. Only two major templet sections simplify settings and operation. Porter-Cable 514 Router is recommended for use on this templet.

### Specifications


Frame: Cast Iron

Size: 1" height, 20" length, 26" width

Furnished with Templet: Wrench (B-19); Stair Templet Guide (UB-91); Lock Nut (UB-99); Nosing Block, 1½" dia. (STT-26Y); Operating Manual

Net Weight: 30 lbs.

Shipping Weight: 50 lbs.



## DOVETAIL TEMPLET

Model 5008

AB

Cabinet makers and hobbyists use this templet for perfect dovetail joints. It handles stock up to 12" wide and from ⅝" to 1" thick. Use Bit No. DT-416 and Guide No. UB-93 with standard ½" finger templet. Model 100 or 511 Router may be used. Rabbeted dovetails may also be cut with standard finger templet. Extremely easy to set up and operate.

### Specifications

Frame: Base, Extruded Aluminum; Templet, Laminated Plastic, for ¼" Dovetails

Size: 17" length, 6¾" width, 3¼" height

Furnished with Templet: Operating Manual

Net Weight: 5 lbs., 2 oz.

Shipping Weight: 7 lbs.

### Accessory Equipment

11-DT Finger Templet for ¼" Dovetails

12-DT Finger Templet for ½" Rabbet Dovetails only


DT-408 Dovetail Bit, ¼" dia.

DT-416 Dovetail Bit, ½" dia.

UB-93 Templet Guide (use with DT-416 Bit)

UB-99 Lock Nut

UB-116 Templet Guide (use with DT-408 Bit)



## LOCK FACE TEMPLET

Model ULF

AB

The ULF Templet is used to quickly and economically rout lock faces on doors after the mortise for the box lock itself has been completed. It is automatically self-centering and self-beveling. Simply lay the templet against the door edge and tighten the clamps. This templet is easy to use and even inexperienced workers can obtain perfect results.

### Specifications


Frame: Aluminum

Size: 2¼" height, 15¾" length, 5" width

Furnished with Templet: Templet Guide (UB-97)

Net Weight: 3 lbs.

Shipping Weight: 5 lbs.



## SHARPENING ATTACHMENT

Model 5011

AB

Simply insert the bit or cutter into the holder and place on top of the router base. Holder takes  $\frac{1}{2}$ " dia. shank bits. Adjustable for one, two or three cutting edges. Standard equipment includes adapter for  $\frac{1}{4}$ " dia. shank bits and arbor for  $\frac{3}{8}$ " dia. hole cutters. Attachment may be used with any Porter-Cable Router. When ordering, specify router to be used with Attachment.

### Specifications

Frame: Base, Steel; Housing, Die-cast Zinc  
Size:  $7\frac{1}{8}$ " length, 4" width,  $1\frac{1}{8}$ " height

Furnished with Attachment: Arbor (7-CG); Grinding Wheel (11-CG); Adapter (D-808); Wrench (239-X); Wrench (1627-X); Operating Manual; and one of the following Tripod Stands:  
4Y-CG For Model 100 Router  
5Y-CG For Model 511 Router  
6Y-CG For Model 514 Router

Net Weight: 1 lb., 3 oz.

Shipping Weight: 2 lbs.


### Accessory Equipment

3Y-CG Dressing Stone and Holding Unit

D-810 Adapter for  $\frac{3}{8}$ " dia. shank bits

D-812 Adapter for  $\frac{3}{8}$ " dia. shank bits

D-814 Adapter for  $\frac{7}{8}$ " dia. shank bits



## HINGE BUTT TEMPLET

Model 5518

AB

The Model 5518 is used by contractors and builders for fast and economical routing of doors and jambs for hinges. It is foolproof, easy-to-use and adjustable to any door or jamb up to 8' high. Simply determine where hinges are to be located, set the templet and any number of doors may be quickly and accurately routed. Ideal for all production door-hanging jobs.

### Specifications

Frame: Aluminum, Steel Reinforced  
Size (Extended): 2" height, 82" length,  $4\frac{1}{2}$ " width

Furnished with Templet: Left Templet Section (HB-110Y); Right Templet Section (HB-111Y); Center Templet Section (HB-112Y); 2 Jamb Gauges,  $4\frac{1}{2}$ " (HB-48Y); 2 Jamb Gauges, 4" (HB-49Y); 2 Jamb Gauges,  $3\frac{1}{2}$ "

(HB-50Y); 4 Jamb Gauge Screws (HB-54); Templet Guide (UB-97); Lock Nut (UB-99); Operating Manual

Net Weight: 8 lbs.

Shipping Weight: 15 lbs.


### Accessory Equipment

HB-47Y 5" Jamb Gauges (2)

HB-51Y 3" Jamb Gauges (2)

GHT-24 Carrying Case

UKC Corner Chisel



## LOCK MORTISER

Model 513

A

It takes only 30 seconds to mortise for a box lock and it does a clean accurate job every time. Save hours of work in door hanging.

### Specifications

Motor: Same as 511 Router

Size:  $16\frac{1}{2}$ " high,  $16\frac{3}{4}$ " long,  $12\frac{1}{4}$ " wide

Net Weight: 26 lbs.

Shipping Weight:

Model 513 complete, 45 lbs.

Model ULM-Y1 Attachment only 36 lbs.

### Mortiser Attachment only, ULM-Y1

AS-524 Straight Bit;  $\frac{3}{4}$ " dia.

AS-528 Straight Bit;  $\frac{7}{8}$ " dia.

G-13Y Grinding Wheel Assembly

BM-68Y Spline Shaft

BM-75Y Height Rods

BP-79 Pin Wrench

SRB-31 Adapter



## HOW TO USE PORTABLE POWER TOOLS


No. A-1036

ABCD

210-pages, written by a well-known authority, packed with useful information and illustrations for both the home and professional user.

## HINGE BUTT TEMPLET

Model 5016



AB

The Model 5016 Templet can be used for all 2-hinge doors up to 6'8" long, and up to 2" wide, adjustable for 3",  $3\frac{1}{2}$ ", 4" hinges. Shipping weight: 5 lbs. 9 oz.


**Porter-Cable**

*Quality Electric Tools*

**TEMPLETS, LOCK MORTISER  
and ROUTER ACCESSORIES**


**NOTE:** When selecting bits, cutters or other router accessories, always keep in mind the collet size of the router you own. Maximum collet sizes include: Model 100, 1/4" dia.; Models 511, 514, and UC, 1/2" dia.; Model UB, 3/8" dia. Only No. SRB-18Y Spindle will fit Model 511 Router. All Templet Guides are attached to Router bases with No. UB-99 Lock Nut.

#### STRAIGHT BITS (Two Flutes)




| No.    | A    | B     | C    | D      |
|--------|------|-------|------|--------|
| A-406  | 3/16 | 13/16 | 1/4  | 7/8    |
| A-408  | 1/4  | 13/16 | 1/4  | 7/8    |
| A-408L | 1/4  | 1     | 1/4  | 7/8    |
| A-410  | 3/16 | 1     | 1/4  | 7/8    |
| A-412  | 3/8  | 1     | 1/4  | 7/8    |
| A-412L | 3/8  | 1     | 1/4  | 1      |
| A-414  | 3/16 | 1     | 1/4  | 7/8    |
| A-416  | 1/2  | 1     | 1/4  | 7/8    |
| A-516  | 1/2  | 1 3/4 | 5/16 | 1 1/8  |
| A-720  | 3/8  | 1 1/2 | 7/16 | 1 3/16 |
| A-724  | 3/4  | 1 1/2 | 7/16 | 1 3/16 |
| A-732  | 1    | 1 1/2 | 7/16 | 1 3/16 |
| A-812  | 3/8  | 1 1/2 | 1/2  | 1 3/16 |
| A-816  | 1/2  | 1 1/2 | 1/2  | 1 3/16 |

#### FAST-CUTTING STRAIGHT BITS (Notched Edges)




| No.     | A   | B     | C   | D      |
|---------|-----|-------|-----|--------|
| A-408LR | 1/4 | 1 1/2 | 1/4 | 1 1/16 |
| A-816LR | 1/2 | 2     | 1/2 | 1 1/16 |

#### CARBIDE-TIPPED STRAIGHT BITS




| No.     | A   | B   | C     | D      |
|---------|-----|-----|-------|--------|
| A-408C  | 1/4 | 1/4 | 3/8   | 1 1/16 |
| A-412LC | 1/4 | 3/8 | 1     | 1 1/2  |
| A-416C  | 1/4 | 1/2 | 7/8   | 1      |
| A-816LC | 1/2 | 1/2 | 1 3/4 | 1 1/16 |

#### STRAIGHT BITS (Double End, Single Flute)




| No.    | A    | B    | C    | D     |
|--------|------|------|------|-------|
| AA-402 | 1/16 | 5/32 | 1/16 | 1 3/8 |
| AA-403 | 3/32 | 3/16 | 3/32 | 1 3/8 |
| AA-404 | 1/8  | 7/32 | 1/8  | 1 1/2 |
| AA-405 | 5/32 | 1/4  | 5/32 | 1 1/2 |
| AA-406 | 3/16 | 5/16 | 3/16 | 1 5/8 |

#### STRAIGHT BITS (1/4" Threaded Hole)




| No.    | A      | B     |
|--------|--------|-------|
| AS-516 | 1/2    | 15/32 |
| AS-520 | 5/8    | 15/32 |
| AS-522 | 15/16  | 15/32 |
| AS-524 | 3/4    | 15/32 |
| AS-526 | 13/16  | 15/32 |
| AS-528 | 7/8    | 15/32 |
| AS-530 | 15/16  | 15/32 |
| AS-532 | 1      | 15/32 |
| AS-534 | 1 1/16 | 15/32 |
| AS-536 | 1 1/8  | 15/32 |
| AS-538 | 1 3/16 | 15/32 |
| AS-540 | 1 1/4  | 15/32 |
| AS-544 | 1 3/8  | 15/32 |

#### VEINING BITS (Double End, Single Flute)




| No.    | A    | B    | C     |
|--------|------|------|-------|
| BB-402 | 1/16 | 5/32 | 1 3/8 |
| BB-403 | 3/32 | 3/16 | 1 3/8 |
| BB-404 | 1/8  | 7/32 | 1 1/2 |
| BB-405 | 3/32 | 1/4  | 1 1/2 |
| BB-406 | 3/16 | 5/16 | 1 5/8 |

#### CORE BOX BITS




| No.   | A   | B    | C   | D      |
|-------|-----|------|-----|--------|
| C-408 | 1/4 | 5/16 | 1/4 | 1 1/16 |
| C-412 | 3/8 | 1/4  | 1/4 | 1 1/8  |
| C-416 | 1/2 | 3/16 | 1/4 | 1 1/8  |
| C-420 | 3/8 | 3/8  | 1/4 | 1 1/8  |
| C-424 | 3/4 | 7/16 | 1/4 | 1 1/8  |

#### CORE BOX BITS (1/4" Threaded Hole)




| No.    | A     | B    | C     | D      |
|--------|-------|------|-------|--------|
| CS-524 | 3/4   | 9/16 | 17/32 | 2 3/32 |
| CS-528 | 7/8   | 9/16 | 5/8   | 2 1/16 |
| CS-532 | 1     | 9/16 | 11/16 | 2 1/8  |
| CS-540 | 1 1/4 | 5/8  | 7/8   | 2 1/8  |

#### COPING BIT



| No.    | A   | B    | C | D   |
|--------|-----|------|---|-----|
| CA-406 | 7/8 | 7/16 | 1 | 1/4 |

#### DOVETAIL BITS




| No.    | A   | B   | C      | D   |
|--------|-----|-----|--------|-----|
| DT-408 | 1/4 | 1/2 | 1 1/8  | 1/4 |
| DT-416 | 1/2 | 1/2 | 1 3/16 | 1/4 |

#### CORNER ROUNDING BITS (1/4" Threaded Hole)




| No.    | A   | B      | C   | D      |
|--------|-----|--------|-----|--------|
| ES-508 | 1/4 | 3/8    | 1/4 | 1 1/32 |
| ES-512 | 3/8 | 3/8    | 3/8 | 1 1/32 |
| ES-516 | 1/2 | 1 1/16 | 1/2 | 1 1/32 |

#### BEADING BITS (1/4" Threaded Hole)




| No.    | A   | B     | C      | D    |
|--------|-----|-------|--------|------|
| FS-504 | 1/8 | 15/32 | 3/4    | 1/2  |
| FS-508 | 1/4 | 15/32 | 1 1/32 | 1/2  |
| FS-512 | 3/8 | 15/32 | 1 1/16 | 5/16 |

#### COVE BITS (1/4" Threaded Hole)




| No.    | A      | B     | C      | D   |
|--------|--------|-------|--------|-----|
| GS-508 | 1/4 R. | 15/32 | 25/32  | 3/4 |
| GS-512 | 3/8 R. | 15/32 | 1 1/32 | 1   |

#### CHAMFER BIT (1/4" Threaded Hole)




| No.    | A   | B   | C   |
|--------|-----|-----|-----|
| HS-524 | 3/4 | 3/4 | 45° |

#### RABBETING BIT (1/4" Threaded Hole)




| No.    | A      | B   | C      |
|--------|--------|-----|--------|
| LS-512 | 2 1/32 | 5/8 | 1 1/32 |

#### SASH BEADING BIT




| No.    | A   | B    | C | D   |
|--------|-----|------|---|-----|
| BA-406 | 3/4 | 7/16 | 1 | 1/4 |

#### STAIR ROUTING BIT (1/4" Threaded Hole)




| No.    | A      | B    |
|--------|--------|------|
| ST-520 | 1 1/16 | 5/16 |

#### "V" GROOVING BIT




| No.   | A | B   | C   | D   | E    |
|-------|---|-----|-----|-----|------|
| V-490 | 1 | 3/8 | 3/8 | 1/4 | 3/16 |

#### STRAIGHT FACE CUTTERS




| No.   | A   | B    | C     |
|-------|-----|------|-------|
| M-604 | 3/8 | 1/8  | 1 3/8 |
| M-606 | 3/8 | 3/16 | 1 3/8 |
| M-608 | 3/8 | 1/4  | 1 3/8 |
| M-612 | 3/8 | 3/8  | 1 3/8 |
| M-616 | 3/8 | 1/2  | 1 3/8 |
| M-624 | 3/8 | 3/4  | 1 3/8 |
| M-632 | 3/8 | 1    | 1 3/8 |

#### CORNER ROUNDING AND BEADING CUTTERS




| No.   | A   | B   | C     | D   |
|-------|-----|-----|-------|-----|
| N-608 | 3/8 | 1/2 | 1 3/8 | 1/4 |
| N-612 | 3/8 | 3/8 | 1 1/4 | 3/8 |
| N-616 | 3/8 | 3/4 | 1 3/8 | 1/2 |

#### CORNER ROUNDING CUTTERS




| No.   | A   | B   | C      | D      |
|-------|-----|-----|--------|--------|
| N-620 | 3/8 | 7/8 | 1 3/16 | 3/4 R. |
| N-624 | 3/8 | 1   | 2 1/16 | 3/4 R. |

#### COVE AND BEAD CUTTER




| No.    | A   | B       | C     | D      | E   |
|--------|-----|---------|-------|--------|-----|
| NR-656 | 3/8 | 5/16 R. | 2 1/8 | 3/8 R. | 7/8 |

#### OGEE CUTTER




| No.    | A   | B   | C     | D      |
|--------|-----|-----|-------|--------|
| NR-666 | 3/8 | 7/8 | 1 3/4 | 3/8 R. |

#### ROMAN OGEE CUTTERS




| No.     | A       | B     | C   | D     | E    | F     |
|---------|---------|-------|-----|-------|------|-------|
| NRA-455 | 3/32 R. | 15/32 | 1/4 | 13/16 | 7/32 | 3/8   |
| NRA-488 | 1/4 R.  | 21/32 | 1/4 | 15/16 | 7/32 | 1 1/4 |

#### BEAD AND COVE CUTTER




| No.    | A   | B      | C       | D      |
|--------|-----|--------|---------|--------|
| RN-644 | 3/8 | 1 1/16 | 1 25/32 | 1/4 R. |

### CHAMFER CUTTERS




| No.    | A   | B   | C     | D         |
|--------|-----|-----|-------|-----------|
| OR-616 | 3/8 | 1/2 | 1 3/4 | 3/4 Right |
| OL-616 | 3/8 | 1/2 | 1 3/4 | 3/4 Left  |

### SURFACE BEADING CUTTERS




| No.   | A   | B   | C     | D   |
|-------|-----|-----|-------|-----|
| P-616 | 3/8 | 1/2 | 1 1/8 | 1/4 |
| P-624 | 3/8 | 3/4 | 1 1/2 | 3/4 |

### COVE CUTTERS




| No.   | A   | B     | C     | D   |
|-------|-----|-------|-------|-----|
| R-608 | 3/8 | 3/8   | 1 1/4 | 1/4 |
| R-612 | 3/8 | 3/8   | 1 1/2 | 3/8 |
| R-616 | 3/8 | 3/8   | 1 3/4 | 1/2 |
| R-620 | 3/8 | 1 1/8 | 2     | 3/8 |

### SPIRAL PLANE CUTTERS




| No.    | A    | B       | C      |
|--------|------|---------|--------|
| PR-83Y | 5/16 | 1 13/16 | 55/64  |
| 17-PL  | 1/2  | 2 3/8   | 1 1/8  |
| SRB-47 | 1/2  | 2 1/2   | 1 1/16 |

### SASH GROOVER CUTTER




| No.    | A       | B   |
|--------|---------|-----|
| SG-28Y | 5/16 R. | 3/8 |

### WEATHERSTRIP CUTTERS




| No.   | A    | B     | C     |
|-------|------|-------|-------|
| W-505 | 5/16 | 5/16  | 1 7/8 |
| W-506 | 5/16 | 3/22  | 1 7/8 |
| W-508 | 5/16 | 3/8   | 1 7/8 |
| W-509 | 5/16 | 5/16  | 1 7/8 |
| W-510 | 5/16 | 3/22  | 1 7/8 |
| W-512 | 5/16 | 3/16  | 1 7/8 |
| W-514 | 5/16 | 3/22  | 1 7/8 |
| W-516 | 5/16 | 1/4   | 1 7/8 |
| W-517 | 5/16 | 1 3/4 | 1 7/8 |
| W-518 | 5/16 | 3/22  | 1 7/8 |

### STRAIGHT PLANE CUTTERS




| No.     | A       | For Model |
|---------|---------|-----------|
| SRB-46C | 2 25/64 | 523       |
| BP-86C  | 2 25/64 | UP        |
| BP-77A  | 2 1/4   | UP, 512   |
| 31C-PL  | 2 1/2   | 126       |

### ADAPTERS




| No.    | A    | B     | C    |
|--------|------|-------|------|
| D-402  | 1/4  | 1     | 1/16 |
| D-403  | 1/4  | 1     | 3/32 |
| D-404  | 1/4  | 1     | 1/8  |
| D-405A | 1/4  | 1 1/8 | 3/32 |
| D-406A | 1/4  | 1 1/8 | 1/4  |
| D-508  | 3/16 | 1     | 1/4  |
| D-708  | 3/16 | 1 1/4 | 1/4  |
| D-710  | 3/16 | 1 1/4 | 3/16 |
| D-808  | 1/2  | 1 1/4 | 1/4  |
| D-810  | 1/2  | 1 1/4 | 3/8  |
| D-812  | 1/2  | 1 1/4 | 3/8  |
| D-814  | 1/2  | 1 1/4 | 3/8  |
| DS-405 |      |       |      |
| SRB-31 |      |       |      |

### ARBORS




| No.    | A    | B       | C           |
|--------|------|---------|-------------|
| BA-1   | 3/16 | 1 13/16 | 1/4-28 thd. |
| BAA-1  | 1/4  | 1 3/16  | 1/4-28 thd. |
| BAA-1L | 1/4  | 1 13/16 | 1/4-28 thd. |

### ARBORS




| No.    | A   | B       | C           |
|--------|-----|---------|-------------|
| SRB-33 | 1/2 | 1 15/16 | 1/4-28 thd. |
| CA-2   | 1/2 | 2 1/8   | 1/4-28 thd. |

### PILOTS




| No.    | A   | B   | C     | D           |
|--------|-----|-----|-------|-------------|
| SP-412 | 3/8 | 3/8 | 1 1/2 | 1/4-28 thd. |
| SP-416 | 1/2 | 3/8 | 1 1/2 | 1/4-28 thd. |
| SP-420 | 3/8 | 3/8 | 1 1/2 | 1/4-28 thd. |

### TEMPLET GUIDES



| No.    | A     | B     |
|--------|-------|-------|
| UB-91  | 1 1/4 | 1 1/2 |
| UB-92  | 3/4   | 2 1/2 |
| UB-93  | 3/4   | 1 1/2 |
| UB-94  | 1     | 2 1/2 |
| UB-95  | 1 1/2 | 1 3/2 |
| UB-96  | 3/8   | 3/4   |
| UB-97  | 2 3/2 | 3/4   |
| UB-103 | 1 3/4 | 3/8   |
| UB-104 | 3/8   | 1 1/2 |
| UB-116 | 3/16  | 1/4   |


### LOCK NUT



| No.   | A   | B     |
|-------|-----|-------|
| UB-99 | 1/4 | 1 3/4 |

### SHAPER SPINDLES


(With 4 Collars and Nut)



| No.   | A    | B     | C    | D    | E   |
|-------|------|-------|------|------|-----|
| BS-1Y | 3/8  | 2 1/4 | 7/16 | 5/16 | 1/2 |
| BS-2Y | 3/16 | 2     | 7/16 | 5/8  | 1/2 |

### SHAPER SPINDLE


No. BS-4Y has 3 collars and nut



| No.   | A    | B     | C    | D     | E    |
|-------|------|-------|------|-------|------|
| BS-4Y | 5/16 | 1 1/4 | 3/16 | 1 1/8 | 5/16 |

### SHAPER SPINDLES


(With 4 Collars and Nut)



| No.     | A    | B     | C   | D     | E   |
|---------|------|-------|-----|-------|-----|
| SRB-20Y | 3/8  | 2 3/2 | 1/8 | 55/64 | 1/2 |
| SRB-21Y | 3/16 | 2 3/2 | 1/8 | 55/64 | 1/2 |


### SHAPER SPINDLE

(With 3 Collars and Nut)




| No.    | A    | B     | C   | D   | E    |
|--------|------|-------|-----|-----|------|
| PR-82Y | 3/16 | 2 1/8 | 1/4 | 1/2 | 7/16 |

### SHAPER COLLARS




| No.    | A    | B    | C      |
|--------|------|------|--------|
| AC-504 | 5/16 | 1/8  | 3/8    |
| AC-506 | 5/16 | 3/16 | 3/8    |
| AC-508 | 5/16 | 1/4  | 3/8    |
| AC-512 | 5/16 | 3/8  | 3/8    |
| BC-604 | 3/8  | 1/8  | 1 1/16 |
| BC-606 | 3/8  | 3/16 | 1 1/16 |
| BC-608 | 3/8  | 1/4  | 1 1/16 |
| BC-612 | 3/8  | 3/8  | 1 1/16 |
| CC-804 | 1/2  | 1/8  | 1 1/16 |
| CC-806 | 1/2  | 3/16 | 1 1/16 |
| CC-808 | 1/2  | 1/4  | 1 1/16 |
| CC-816 | 1/2  | 1/2  | 1 1/16 |

### BUSHINGS




| No.    | A    | B     | C   |
|--------|------|-------|-----|
| PR-100 | 5/16 | 3/22  | 3/8 |
| PR-101 | 5/16 | 3/22  | 3/8 |
| PR-102 | 5/16 | 3/22  | 3/8 |
| PR-103 | 5/16 | 1 1/2 | 3/8 |
| PR-104 | 5/16 | 1 1/2 | 3/8 |
| PR-105 | 5/16 | 2 3/2 | 3/8 |

### GRINDING WHEELS



| No.    | A    | B    | C     |
|--------|------|------|-------|
| BPG-13 | 1/4  | 3/16 | 1 1/4 |
| BG-21  | 3/8  | 3/16 | 2     |
| G-13   | 5/16 | 1/8  | 1 1/2 |


### GRINDING WHEEL



| No.   | A | B   | C   | D     | E   |
|-------|---|-----|-----|-------|-----|
| 11-CG | 1 | 1/4 | 3/8 | 1 1/2 | 3/4 |

### GRINDING WHEELS

(For 101 Plane Cutter)



| No.    | A     | B    | C     | D    |
|--------|-------|------|-------|------|
| PRG-17 | 3/4   | 5/16 | 1     | 5/16 |
| 22-PL  | 1 3/4 | 3/8  | 1 1/4 | 7/16 |



## Porter-Cable Machine Company

1714 NO. SALINA STREET    SYRACUSE 8, N. Y.    TELEPHONE 2-2231

In Canada: Porter-Cable Power Tools (Canada) Ltd., Box 5019, London, Ont.

Export Dept., Bank Building, South Haven, Michigan, U. S. A.

# PORTER-CABLE MACHINE CO.

1714 N. SALINA STREET • SYRACUSE 8, NEW YORK

## PRICE LIST No. 103

Effective January 2, 1956 at Syracuse and all Company Branches

Supersedes and Cancels Price List No. 102-B Effective October 1, 1955

NET PRICES APPLYING TO  
CATALOG No. 103

**Porter-Cable**

*Quality Electric Tools*

| Catalog Page | Model No. | Description                 | Dealer | Price | Catalog Page | Model No. | Description                | Dealer | Price |
|--------------|-----------|-----------------------------|--------|-------|--------------|-----------|----------------------------|--------|-------|
| 7            | 2Y-PS     | Switch Box.....             | AB     | 6.25  | 14           | 27-DL5    | Drill.....                 | ABC    | .50   |
| 25           | 3Y-CG     | Dressing Stone & Holder...  | AB     | 1.25  | 8            | 27Y-D6    | Abrasive Wheel.....        | AB     | 5.30  |
| 25           | 4Y-CG     | Tripod Stand.....           | AB     | 2.50  | 13           | 28-DL1    | Abrasive Disc Retainer.... | ABC    | .15   |
| 17           | 4Y-PS     | Bench Stand.....            | AB     | 3.95  | 13           | 28-DL5    | Drill.....                 | ABC    | .50   |
| 8            | 5-D6      | Disc Retaining Nut.....     | AB     | .65   | 7            | 28-SB     | Cross-Cut Blade.....       | AB     | 2.95  |
| 25           | 5Y-CG     | Tripod Stand.....           | AB     | 2.50  | 13           | 29-DL5    | Drill.....                 | ABC    | .50   |
| 12           | 6-OS4     | Drive Belt.....             | AB     | .55   | 12           | 29-OS4    | 106 Carrying Case.....     | AB     | 8.50  |
| 25           | 6Y-CG     | Tripod Stand.....           | AB     | 2.50  | 4            | 29-SA     | 108 Carrying Case.....     | AB     | 12.50 |
| 2            | 6Y-SC     | Rip Guide.....              | ABC    | 1.50  | 7            | 29-SB     | Planer Blade.....          | AB     | 4.25  |
| 25           | 7-CG      | Arbor.....                  | AB     | 1.75  | 13           | 30-DL5    | Lamb's Wool Bonnet.....    | ABC    | .50   |
| 14           | 7Y-DL1    | Rubber Pad.....             | ABC    | 1.50  | 6            | 30-K10    | Wrench.....                | A      | .65   |
| 22           | 8-GTR     | Wrench.....                 | ABC    | .35   | 7            | 30-SA     | Rip Blade.....             | AB     | 2.95  |
| 2            | 8Y-A4     | Rip Guide.....              | AB     | .50   | 20           | 30Y-MS    | Band Saw Blades (3).....   | AD     | 4.50  |
| 22           | 9Y-GTR    | Auxiliary Handle.....       | ABC    | .80   | 20           | 31-CPL    | Plane Cutter.....          | AB     | 32.00 |
| 3            | 10-A8     | A-8 Carrying Case.....      | AB     | 10.50 | 13           | 31-DL5    | Arbor Adapter.....         | AB     | 1.75  |
| 3, 5, 7      | 10-DT     | Finger Templet.....         | AB     | 3.75  | 7            | 31-SA     | Cross-Cut Blade.....       | AB     | 2.95  |
| 5            | 10-K88C   | Combination Blade.....      | AB     | 2.95  | 8            | 31Y-D6    | Abrasive Discs (12).....   | AB     | 1.80  |
| 3            | 10-K89    | 521-522 Carrying Case....   | A      | 12.50 | 20           | 31Y-MS    | Band Saw Blades (3).....   | AD     | 4.50  |
| 14           | 10Y-A8    | Rip Guide.....              | AB     | 2.50  | 13           | 32-DL1    | Grinding Wheel.....        | ABC    | 1.00  |
| 22           | 10Y-DL1   | Drills (13).....            | ABC    | 6.50  | 13           | 32-DL5    | Wire Wheel Brush.....      | ABC    | .55   |
| 22           | 10Y-GTR   | Grass Trimmer Blades (3)... | ABC    | 2.75  | 7            | 32-SA     | Planer Blade.....          | AB     | 5.25  |
| 22           | 10Y-JTR   | Grass Trimmer Blades (3)... | ABC    | 2.60  | 3, 7         | 33-A6     | Combination Blade.....     | AB     | 2.75  |
| 16, 20       | 11-CG     | Grinding Wheel.....         | AB     | .95   | 13           | 33-DL1    | Arbor Adapter Nut.....     | ABC    | .50   |
| 24           | 11-DT     | Finger Templet.....         | AB     | 5.75  | 13           | 33-DL5    | Buffing Wheel.....         | ABC    | .15   |
| 22           | 11Y-JTR   | Grass Trimmer Blade.....    | ABC    | .95   | 7            | 33-K10    | Planer Blade.....          | AB     | 11.25 |
| 7            | 11-K88C   | Rip Blade.....              | AB     | 2.95  | 5, 7         | 33-K75    | Combination Blade.....     | AB     | 2.95  |
| 11           | 11Y-BB4   | Dust Bag & Nozzle.....      | A      | 6.00  | —            | 33Y-MS    | Hi-Speed Steel Blade.....  | AB     | 6.50  |
| 13           | 11Y-DL5   | Horizontal Drill Stand..... | ABC    | 2.75  | —            | 33-YX     | Lubricant.....             | AB     | .95   |
| 15           | 12-DL3    | Chuck Key.....              | A      | .50   | 2, 7         | 34-A4     | Combination Blade.....     | AB     | 2.65  |
| 24           | 12-DT     | Finger Templet.....         | AB     | 5.75  | 3            | 34-A6     | A-6 Carrying Case.....     | AB     | 9.00  |
| 7            | 12-K88C   | Planer Blade.....           | AB     | 4.95  | 13           | 34-DL5    | 137 Carrying Case.....     | ABC    | 7.95  |
| 22           | 13-JTR    | Wrench.....                 | ABC    | .50   | 7            | 34-K75    | Rip Blade.....             | AB     | 2.95  |
| 9            | 13Y-A2    | Bench Stand.....            | AB     | 13.25 | 8            | 34Y-D6    | Drill Chuck.....           | AB     | 5.50  |
| 3, 4         | 13Y-A6    | Rip Guide.....              | AB     | 2.50  | 9, 10        | 34Y-MS    | Hi-Speed Steel Blade.....  | AB     | 6.50  |
| 10           | 13Y-GTR   | Blade.....                  | ABC    | 1.00  | 7            | 34-YX     | Chain Gear Grease.....     | A      | .95   |
| 12           | 13Y-VA3   | Dust Bag & Nozzle.....      | A      | 5.00  | 13           | 35-A6     | Planer Blade.....          | AB     | 3.75  |
| 7            | 14Y-OS4   | Felt Rubbing Pad.....       | AB     | 3.95  | 7            | 35-DL5    | Abrasive Disc.....         | ABC    | .15   |
| 20           | 15-K89    | All-Purpose Blade.....      | AB     | 8.45  | 7            | 35-K75    | Planer Blade.....          | AB     | 4.75  |
| 12           | 15Y-MS    | Band Saw Blades (3).....    | AD     | 4.50  | 10, 11       | 35Y-MS    | Hi-Speed Steel Blade.....  | AB     | 6.50  |
| 20           | 15Y-OS4   | Sponge Rubber Pad.....      | AB     | 3.95  | 8            | 35-YX     | Worm Gear Grease.....      | A      | .55   |
| 15           | 16Y-MS    | Band Saw Blades (3).....    | AD     | 4.50  | 7            | 35Y-D6    | Paint Mixer.....           | AB     | 1.45  |
| 15           | 17-DL1    | Chuck Key.....              | AB     | .35   | 7            | 36-A6     | Rip Blade.....             | AB     | 2.75  |
| 15           | 17-DL2    | Key Holder.....             | AB     | .10   | 7            | 36-A8     | Abrasive Wheel.....        | AB     | 3.95  |
| 6            | 17-K12    | Rip Guide.....              | A      | 3.65  | 13           | 36-DL5    | Abrasive Disc.....         | ABC    | .15   |
| 19           | 17-PL     | Spiral Cutter.....          | AB     | 10.50 | 7            | 36Y-MS    | Hi-Speed Steel Blade.....  | AB     | 6.50  |
| 10           | 17Y-A3    | Flexible Pad Assembly.....  | A      | 2.00  | 7            | 37-A4     | Fine-Tooth Blade.....      | AB     | 2.65  |
| 20           | 17Y-MS    | Band Saw Blades (3).....    | AD     | 4.50  | 7            | 37-A8     | Abrasive Wheel.....        | AB     | 3.95  |
| 7            | 18-K10    | Rip Blade.....              | AB     | 5.50  | 13           | 37-DL5    | Abrasive Disc.....         | ABC    | .15   |
| 20           | 18Y-MS    | Band Saw Blades (3).....    | AD     | 4.50  | 13           | 38-DL5    | 137 Carrying Case.....     | ABC    | 5.00  |
| 15           | 19-DL1    | Key Holder.....             | AB     | .05   | 8            | 38Y-D6    | Abrasive Discs (12).....   | AB     | 1.08  |
| 5, 7         | 19-K10    | Combination Blade.....      | AB     | 5.50  | 7            | 39-A6     | Cross-Cut Blade.....       | AB     | 2.75  |
| 2, 7         | 19-SC     | Combination Blade.....      | ABC    | 2.25  | 7            | 39-K75    | Fine Tooth Blade.....      | AB     | 4.50  |
| 15           | 20-DL2    | Auxiliary Handle.....       | AB     | 1.25  | 8            | 39Y-D6    | Abrasive Discs (12).....   | AB     | 1.56  |
| 5, 6         | 20-K9     | Rip Guide.....              | A      | 2.50  | 8            | 39-YX     | Grease.....                | AB     | .25   |
| 20           | 20Y-MS    | Band Saw Blades (5).....    | AD     | 7.25  | 13           | 40-DL1    | General-Purpose Rouge..... | ABC    | .30   |
| 22, 23       | 21-GTR    | Cord Lock.....              | ABC    | .25   | 6            | 40-K9     | BK-10 Carrying Case.....   | A      | 17.50 |
| 4            | 21-SA     | Rip Guide.....              | AB     | 2.50  | 6            | 40-K12    | BK-12 Carrying Case.....   | A      | 26.50 |
| 15           | 22-DL2    | Chuck Key.....              | AB     | .90   | 8            | 40Y-D6    | Abrasive Discs (12).....   | AB     | 2.04  |
| 15           | 22-DL4    | Chuck Key.....              | A      | .70   | 2            | 41-A4     | A-4 Carrying Case.....     | AB     | 6.00  |
| —            | 22-PL     | Grinding Wheel.....         | AB     | .50   | 7            | 41-K88C   | Cross-Cut Blade.....       | AB     | 4.25  |
| 4            | 23-SB     | 115 Carrying Case.....      | AB     | 10.50 | 7            | 43-K12    | Rip Blade.....             | AB     | 6.95  |
| 2            | 23-SC     | 125 Carrying Case.....      | ABC    | 6.50  | 5, 7         | 44-K12    | Combination Blade.....     | AB     | 6.95  |
| 9            | 23Y-A2    | Flexible Pad Assembly.....  | AB     | 1.75  | —            | 46-A4     | Fine Tooth Blade.....      | AB     | 2.75  |
| 8            | 23Y-D6    | Rubber Back-Up Pad.....     | AB     | 1.75  | 8            | 51Y-D6    | Lamb's Wool Buff.....      | AB     | 1.50  |
| 7            | 24-A8     | Abrasive Wheel.....         | AB     | 3.95  | 13           | 52-YX     | Grease.....                | A      | .80   |
| 7            | 24-K88C   | Flooring Type Blade.....    | AB     | 2.95  | 8            | 53Y-D6    | Pile Fabric Pad.....       | AB     | 1.75  |
| 19           | 24-PL     | 126 Carrying Case.....      | AB     | 10.00 | 13           | 55-YX     | Lubricant.....             | A      | .80   |
| 4, 7         | 24-SA     | Combination Blade.....      | AB     | 2.95  | 8            | 56Y-D6    | Extension Handle.....      | AB     | 3.75  |
| 4, 7         | 24-SB     | Combination Blade.....      | AB     | 2.95  | 7            | 58-K88    | Combination Blade.....     | AB     | 2.95  |
| 2, 7         | 24-SC     | Rip Blade.....              | ABC    | 2.25  | 7            | 59-K12    | Planer Blade.....          | AB     | 13.00 |
| —            | 25-CG     | Grinding Wheel.....         | ABC    | .95   | 8            | 59Y-D6    | Bench Stand.....           | AB     | 1.50  |
| 7            | 25-SB     | Rip Blade.....              | AB     | 2.95  | 7            | 61-A6     | Abrasive Wheel.....        | AB     | 2.50  |
| 2, 7         | 25-SC     | Cross-Cut Blade.....        | ABC    | 2.25  | 12, 13, 14   | 61-OS4    | Polishing Pad.....         | AB     | 1.35  |
| 9            | 25Y-A2    | Dust Shield Assembly.....   | AB     | 1.75  | 8            | 61Y-D6    | Drills (4).....            | AB     | 1.50  |
| 2-6          | 25Y-K75   | Protractor Gauge.....       | ABC    | 4.25  | 20           | 63-MS     | 524 Carrying Case.....     | AB     | 13.50 |
| 2, 7         | 26-SC     | Planer Blade.....           | ABC    | 3.50  | 8            | 65Y-D6    | Wire Brush Wheel.....      | AB     | 1.79  |
| —            | 26-YX     | Gear Grease.....            | AB     | .80   | 8            | 66Y-D6    | Fabric Wheel Buff.....     | AB     | 1.00  |

| Catalog Page | Model No. | Description                                  | Dealer | Price               | Catalog Page | Model No. | Description                            | Dealer | Price               |
|--------------|-----------|----------------------------------------------|--------|---------------------|--------------|-----------|----------------------------------------|--------|---------------------|
| 8            | 67Y-D6    | Grinding Wheel.....                          | AB     | 4.75                | 6            | 148-18Y   | 6 Knife Blades.....                    | AB     | 2.00                |
| 12           | 68-OS4    | Dust Bag.....                                | AB     | 1.60                | 6            | 148-19Y   | 6 Assorted W.C. Blades <sup>°</sup> .. | AB     | 3.50                |
| 12           | 69-OS4    | Dry-Wall Dust Bag.....                       | AB     | 2.00                | 6            | 148-20Y   | 6 Assorted M.C. Blades <sup>°</sup> .. | AB     | 2.60                |
| 8            | 69Y-D6    | Auxiliary Handle.....                        | AB     | .40                 |              | 148-YX    | Ten Abrasive Sheets.....               | AB     | .65                 |
| 8            | 70Y-D6    | Wheel Adapter.....                           | AB     | 2.50                |              | 149-YX    | Grease.....                            | AB     | .80                 |
| 7            | 75-YX     | Asst. Abrasive Belts (10) ..                 | A      | 2.50                | 3-6          | 153-K75   | Cross-Cut Guide.....                   | AB     | 2.10                |
| 7            | 76-YX     | Asst. Abrasive Belts (10) ..                 | A      | 3.40                | 8            | 158-D6    | Wrench.....                            | AB     | .70                 |
| 7            | 77-YX     | Asst. Abrasive Belts (10) ..                 | A      | 4.50                | 8            | 195-D6    | Jeweler's Rouge.....                   | AB     | .30                 |
| 7            | 78-YX     | Asst. Abrasive Belts (10) ..                 | A      | 3.35                | 8            | 196-D6    | Tripoli Rouge.....                     | AB     | .30                 |
| 9            | 79-YX     | Asst. Abrasive Belts (10) ..                 | ABC    | 3.25                | 8            | 197-D6    | D-6 Carrying Case.....                 | AB     | 6.50                |
| 12           | 81-OS4    | 127 Carrying Case.....                       | AB     | 8.50                | 8            | 211-D6    | Drill Chuck Key.....                   | AB     | .45                 |
| 9            | 91-A2     | Dust Deflector Clip.....                     | AB     | .15                 | —            | 239-X     | Wrench.....                            | AB     | .10                 |
| 16           | 100       | 3/4 H.P. Router.....                         | AB     | 57.50               | 12           | 240-X     | Wrench.....                            | AB     | .15                 |
| 16           | 101       | 3/4 H.P. Plane.....                          | AB     | 75.00               | 11           | 500       | 4" Belt Sander.....                    | A      | 185.00              |
| 17           | 102       | 3/4 H.P. Shaper.....                         | AB     | 87.50               | 10           | 503       | 3" Belt Sander.....                    | A      | 150.00              |
| 23           | 103-R     | Hedgshear.....                               | ABC    | 55.65 <sup>°</sup>  | 5            | 507       | 521 Saw Kit.....                       | A      | 127.50 <sup>†</sup> |
| 23           | 103-A6    | All-Purpose Blade.....                       | AB     | 6.45                | 5            | 508       | 522 Saw Kit.....                       | A      | 145.00 <sup>†</sup> |
| 23           | 104Y-HT   | Auxiliary Handle.....                        | ABC    | .55                 | 13           | 509       | Finishing Sander.....                  | A      | 95.00               |
| 12           | 106-A     | Finishing Sander.....                        | AB     | 52.50               |              | 509-K     | 509 Sander Kit.....                    | A      | 122.00              |
|              | 106-K     | 106 Sander Kit.....                          | AB     | 65.25               | 16           | 511       | 1 1/4 H.P. Router.....                 | A      | 130.00              |
| 15           | 107       | 1/4" Drill.....                              | AB     | 33.50               | 25           | 513       | Lock Mortiser.....                     | A      | 247.50              |
| 4            | 108       | 8 1/4" Saw.....                              | AB     | 95.00               | 16           | 514       | 2 1/2 H.P. Router.....                 | A      | 215.00              |
| 4            | 108-K     | 108 Saw Kit.....                             | AB     | 108.50              | 14           | 515       | 1/4" Heavy-Duty Drill.....             | A      | 49.50               |
| 15           | 109       | 1/2" Drill.....                              | AB     | 52.50               | 14           | 516       | 1/2" Heavy-Duty Drill.....             | A      | 79.50               |
| 18, 20       | 111       | Router-Plane Unit.....                       | AB     | 124.50              | 20           | 517       | 1/3 H.P. Bench Grinder.....            | A      | 90.00               |
| 18           | 111-A     | Hinge Butt Templet Unit.....                 | AB     | 49.95               | 20           | 518       | 1/2 H.P. Bench Grinder.....            | A      | 130.00              |
| 17           | 112       | Door Hanging Kit.....                        | AB     | 174.00              | 5            | 521       | 7 1/2" Saw.....                        | A      | 112.50 <sup>†</sup> |
| 2            | 113-A4    | Cross-Cut Guide.....                         | AB     | 2.10                | 5            | 522       | 8" Saw.....                            | A      | 130.00 <sup>†</sup> |
| 4            | 115       | 7" Saw.....                                  | AB     | 79.50               | 16, 19       | 523       | 1 1/4 H.P. Plane.....                  | A      | 188.00              |
| 4            | 115-K     | 115 Saw Kit.....                             | AB     | 91.00               | 16, 19       | 523-K     | 523 Plane Kit.....                     | A      | 227.00              |
|              | 115-47    | Carbide Tipped Blade.....                    | AB     | 11.95               | 20           | 524       | Band Saw.....                          | AD     | 215.00              |
| 20           | 116       | 1/4 H.P. Bench Grinder.....                  | AB     | 60.00               | 20           | 524-K     | Band Saw Kit.....                      | AD     | 235.00              |
| 22           | 118       | AC Portable Generator.....                   | ABC    | 375.00              |              | 528-18    | Carbide Tipped Blade.....              | AB     | 12.95               |
| 22           | 119       | DC Portable Generator.....                   | ABC    | 325.00              | 6            | 648-X     | Wrench.....                            | A      | 1.75                |
| 3, 4         | 121-A6    | Spacing Washer.....                          | AB     | .15                 |              | 1039-Y    | Lubricating Oil.....                   | A      | .55                 |
| 2, 3, 4      | 122-A6    | Spacing Washer.....                          | ABC    | .15                 | 13           | 1041-Y    | Dust Filters (12).....                 | A      | 2.40                |
| 2            | 125       | 6" Saw.....                                  | ABC    | 49.50               | 13           | 1045      | 509 Carrying Case.....                 | A      | 10.50               |
| 2            | 125-K     | 125 Saw Kit.....                             | ABC    | 59.50               | 16           | 1100      | 100 Router Motor.....                  | AB     | 45.00               |
| 19           | 126       | Porta-Plane.....                             | AB     | 120.00              | 16           | 1101      | 100 Router Base.....                   | AB     | 12.50               |
| 19           | 126-C     | Porta-Plane Kit with Carbide Cutter.....     | AB     | 151.50              | 7            | 1101-X    | Inserted Bits.....                     | AB     | .40                 |
| 19           | 126-K     | 126 Porta-Plane Kit.....                     | AB     | 150.00              | 16, 19       | 1102      | 101 Plane Attachment.....              | AB     | 30.00               |
| 7            | 126-A6    | Abrasive Wheel.....                          | AB     | 2.50                | 7            | 1102-X    | Inserted Shanks.....                   | AB     | .60                 |
| 12           | 127       | Dustless Finishing Sander.....               | AB     | 59.50               | 16           | 1103      | Sharpening Attachment.....             | AB     | 25.00               |
| 7            | 127-A6    | Abrasive Wheel.....                          | AB     | 2.50                | 7, 12, 13    | 1296-X    | Asst. Abrasive Sheets (10) ..          | AB     | .75                 |
| 23           | 129-HT    | Cutter Bar Cover.....                        | ABC    | 1.00                | 13           | 1300-Y    | Rubbing Pad.....                       | A      | 5.25                |
| 23           | 131       | Hedgshear.....                               | ABC    | 47.25 <sup>°</sup>  | 13           | 1301-Y    | Sponge Rubber Pad.....                 | A      | 5.25                |
| 22           | 134       | Grass Trimmer.....                           | ABC    | 44.50 <sup>°</sup>  | 13           | 1303-Y    | Sanding Pad.....                       | A      | 5.25                |
| 22           | 135       | Grass Trimmer.....                           | ABC    | 29.95 <sup>°</sup>  | 13           | 1392-Y    | Sanding Pad.....                       | A      | 5.25                |
| 9            | 136       | 3" Belt Sander.....                          | ABC    | 69.50               | 13           | 1402-Y    | Rubbing Pad.....                       | A      | 5.25                |
| 7-12         | 136-YX    | Ten Asst. Abrasive Sheets.....               | ABC    | .75                 | 13           | 1403-Y    | Sponge Rubber Pad.....                 | A      | 5.25                |
| 15           | 137       | 1/4" Drill.....                              | ABC    | 26.95 <sup>††</sup> | 11           | 1512      | Pneumatic Sander.....                  | A      | 111.00              |
| 15           | 137-HK    | 137 Home Kit.....                            | ABC    | 34.95               | 11           | 1512-K    | 1512 Sander Kit.....                   | A      | 144.00              |
| 7            | 137-YX    | Ten Abrasive Sheets.....                     | ABC    | .80                 | 11           | 1518      | Portable Tray Assembly.....            | A      | 44.00               |
| 7            | 138-YX    | Ten Abrasive Sheets.....                     | ABC    | .65                 | 25           | 1627-X    | Wrench.....                            | AB     | .10                 |
| 7            | 139-YX    | Ten Abrasive Sheets.....                     | ABC    | .65                 | 17           | 1645-X    | 100' Extension Cord.....               | ABC    | 11.50               |
| 15           | 140       | Router-Jig.....                              | ABC    | 49.95               | 8            | 1740-X    | Wrench.....                            | AB     | .15                 |
| 15           | 140-K     | Router Jig Kit.....                          | ABC    | 61.95 <sup>†</sup>  | 7            | 1750-X    | Inserted Tooth Holder.....             | AB     | 1.25                |
| 15           | 140-8     | Spiral Bit.....                              | ABC    | 1.45                | 2            | 1767-X    | Wrench.....                            | AB     | .10                 |
| 15           | 140-10Y   | Straight Gauge.....                          | ABC    | 1.50                | 11           | 1800-Y    | Air Filter.....                        | A      | 13.20               |
| —            | 140-17    | Lock Nut.....                                | ABC    | .35                 | 7            | 1826-X    | Blade Set.....                         | AB     | 4.25                |
| 21           | 143       | 6" Cultivator.....                           | ABC    | 54.50 <sup>°*</sup> | 7            | 1827-X    | Flat File (1).....                     | AB     | .75                 |
| 7            | 143-K75   | Abrasive Wheel.....                          | AB     | 3.25                |              | 1828-X    | (12).....                              |        | 8.75                |
| 21           | 144       | 4" Cultivator.....                           | ABC    | 39.95               |              |           | Round File (1).....                    | AB     | .55                 |
| 7            | 144-K75   | Abrasive Wheel.....                          | AB     | 3.25                |              |           | (12).....                              |        | 6.25                |
| 12           | 145       | Finishing Sander.....                        | ABC    | 39.50               | 11           | 1900-Y    | Automatic Lubricator.....              | A      | 8.60                |
| 12           | 145-8Y    | Felt Rubbing Pad.....                        | ABC    | 3.95                | 6            | 1924-X    | Wrench.....                            | A      | .35                 |
| 12           | 145-9Y    | Sponge Rubber Pad.....                       | ABC    | 3.95                | 2-5          | 1931-X    | Wrench.....                            | ABC    | .30                 |
| 7            | 145-K75   | Abrasive Wheel.....                          | AB     | 3.25                | 11           | 2001      | Tray.....                              | A      | 6.70                |
|              | 146-20    | Carbide Tipped Blade.....                    | AB     | 10.95               | 11           | 2013-Y    | Air Hose (12 1/2').....                | A      | 5.00                |
|              | 146-YX    | Ten Abrasive Sheets.....                     | AB     | .90                 | 11           | 2014-Y    | Air Hose (25').....                    | A      | 8.40                |
|              | 147-YX    | Ten Abrasive Sheets.....                     | AB     | .70                 | 11           | 2015-Y    | Air Hose (50').....                    | A      | 14.60               |
| 6            | 148       | Bayonet Saw.....                             | AB     | 99.50               | 13           | 2031-X    | Screw.....                             | ABC    | .10                 |
| 6            | 148-K     | Bayonet Saw Kit.....                         | AB     | 112.50              | 11           | 2100-Y    | Air Regulator & Gauge.....             | A      | 10.50               |
| 6            | 148-50    | Carrying Case.....                           | AB     | 8.00                | 11           | 2130-Y    | Air Regulator.....                     | A      | 6.90                |
| 6            | 148-11Y   | 6 6-Tooth Woodworking Blades.....            | AB     | 4.00                | —            | 2211-X    | 3-Prong Plug Adapter.....              | ABCD   | .40                 |
| 6            | 148-12Y   | 6 12-T. M.C. Blades, <sup>°</sup> Long.....  | AB     | 4.00                | 17           | 2477-X    | Wrench.....                            | AB     | .30                 |
| 6            | 148-13Y   | 6 12-T. W.C. Blades, <sup>°</sup> Short..... | AB     | 3.80                | 17           | 5004      | 102 Shaper Table complete.....         | AB     | 30.00               |
| 6            | 148-14Y   | 6 10-Tooth M.C. Blades <sup>°</sup> .....    | AB     | 4.50                | 24, 25       | 5006      | Hinge Butt Templet.....                | AB     | 34.50               |
| 6            | 148-15Y   | 6 14-T. M.C. Blades, <sup>°</sup> Long.....  | AB     | 2.40                | 23           | 5007      | Extension Handle.....                  | ABC    | 3.50                |
| 6            | 148-16Y   | 6 14-T. M.C. Blades, <sup>°</sup> Short..... | AB     | 2.20                | 24           | 5008      | Dovetail Templet.....                  | AB     | 27.50               |
| 6            | 148-17Y   | 6 24-Tooth M.C. Blades <sup>°</sup> .....    | AB     | 2.40                | 14           | 5009      | Vertical Drill Press.....              | AB     | 17.75               |
|              |           |                                              |        |                     | 7            | 5010      | Saw Table.....                         | AB     | 42.00               |
|              |           |                                              |        |                     | 25           | 5011      | Sharpening Attachment.....             | AB     | 17.50               |

\* Including Federal Excise Tax.

†† Packaged in multiples of three.

° Metal Cutting

† Effective March 1, 1956

‡ Long Jackshafts available at \$3.00 extra.

\*\* Packaged in multiples of two.

°° Wood Cutting \*\*\* Temporary introductory price \$49.50.

| Catalog Page | Model No. | Description                          | Dealer | Price  | Catalog Page | Model No. | Description             | Dealer | Price   |
|--------------|-----------|--------------------------------------|--------|--------|--------------|-----------|-------------------------|--------|---------|
|              | 5011-J    | 140 Sharpening Attachment            | AB     | 12.95  | 6, 7         | BB-10     | Rip Fence               | AB     | 4.25    |
| 14           | 5012      | Vertical Drill Press                 | AB     | 29.95  | 7            | BB-13     | Switch Box              | AB     | 4.00    |
| 6            | 5013      | Porta-Shop                           | AB     | 59.95  | 6, 7         | BB-14     | Miter Gauge Unit        | AB     | 5.00    |
| 19           | 5014      | Sharpening Attachment                | AB     | 20.00  |              | BB-402    | Veining Bit             | AB     | 1.20    |
| 24           | 5016      | Hinge Butt Templet                   | AB     | 18.95  |              | BB-403    | Veining Bit             | AB     | 1.30    |
| 25           | 5016-K    | Hinge Butt Templet Kit               | AB     | 23.50  |              | BB-404    | Veining Bit             | AB     | 1.45    |
| 9            | 5017      | Bench Stand                          | ABC    | 8.95   |              | BB-405    | Veining Bit             | AB     | 1.55    |
|              | 5019      | 50' Extension Cord                   | ABC    | 10.50  |              | BB-406    | Veining Bit             | AB     | 1.65    |
| 17           | 5020      | Shaper Table                         | ABC    | 12.00  |              | BC-604    | Shaper Collar           | AB     | .30     |
| 17           | 5021      | Angle Adjusting Base                 | AB     | 3.00   |              | BC-606    | Shaper Collar           | AB     | .30     |
|              | 5023      | Formica Trimmer Kit                  | AB     | 15.50  |              | BC-608    | Shaper Collar           | AB     | .30     |
|              | 5023-6    | Combination Base                     | AB     | 2.50   |              | BC-612    | Shaper Collar           | AB     | .30     |
|              | 5023-7    | 140 Base                             | AB     | 2.50   |              | BG-21     | Grinding Wheel          | AB     | 1.10    |
|              | 5023-8    | Combination Bit                      | AB     | 7.00   | 6            | BK-10     | 10 1/4" Saw             | A      | 190.00* |
|              | 5023J     | Formica Trimmer Kit                  | AB     | 15.50  | 6            | BK-12     | 12" Saw                 | A      | 255.00* |
|              | 5023-3Y   | Roller Carrier                       | AB     | 6.00   |              | BP-77A    | Straight Cutter         | AB     | 9.00    |
|              | 5023-4Y   | Base/Roller Carrier                  | AB     | 8.50   | 19           | BP-79     | Wrench                  | A      | .25     |
|              | 5023-101Y | 140 Base/Roller Carrier              | AB     | 8.50   | 19           | BP-86C    | Carbide Straight Cutter | A      | 32.50   |
| 18           | 5504      | 511 Router Motor                     | A      | 100.00 | 19           | BP-88     | Cord Lock               | A      | .15     |
| 18           | 5505      | 511 Router Base                      | A      | 30.00  | 19           | BP-90     | 523 Carrying Case       | A      | 15.00   |
| 18           | 5511      | 514 Router Motor                     | A      | 155.00 |              | BPG-13    | Grinding Wheel          | AB     | .65     |
| 18           | 5512      | 514 Router Base                      | A      | 60.00  | 19           | BPG-109   | Grinding Wheel Arbor    | A      | .60     |
| 19           | 5516      | Plane Sharpen'g Attachment           | A      | 29.95  |              | BS-1Y     | Shaper Spindle          | AB     | 5.50    |
| 19           | 5517      | 523 Plane Attachment                 | A      | 88.00  |              | BS-2Y     | Shaper Spindle          | AB     | 5.00    |
| 25           | 5518      | Hinge Butt Templet                   | AB     | 70.00  |              | BS-4Y     | Shaper Spindle          | AB     | 2.50    |
| 9            | A-2       | 2" Belt Sander                       | AB     | 69.50  |              | C-408J    | Core Box Bit            | AB     | 1.35    |
| 10           | A-3       | 3" Belt Sander                       | A      | 125.00 |              | C-412J    | Core Box Bit            | AB     | 1.80    |
| 2            | A-4       | 4 1/2" Saw                           | AB     | 59.95  |              | C-416J    | Core Box Bit            | AB     | 2.20    |
| 3            | A-6       | 6 1/4" Saw                           | AB     | 69.50  |              | C-420     | Core Box Bit            | AB     | 2.50    |
| 3            | A-6K      | A-6 Saw Kit                          | AB     | 81.00  |              | C-424     | Core Box Bit            | AB     | 3.45    |
| 3            | A-8       | 8" Saw                               | AB     | 95.00  |              | CA-2      | Arbor                   | A      | 1.40    |
| 3            | A-8K      | A-8 Saw Kit                          | AB     | 108.50 |              | CA-406J   | Coping Bit              | AB     | 3.75    |
|              | A-406J    | Straight Bit                         | AB     | 1.20   |              | CC-804    | Shaper Collar           | AB     | .35     |
|              | A-408J    | Straight Bit                         | AB     | 1.20   |              | CC-806    | Shaper Collar           | AB     | .35     |
|              | A-408C    | Carbide Straight Bit                 | AB     | 9.50   |              | CC-808    | Shaper Collar           | AB     | .35     |
|              | A-408LJ   | Straight Bit                         | AB     | 1.50   |              | CC-816    | Shaper Collar           | AB     | .35     |
|              | A-408LR   | Fast-Cutting Straight Bit            | AB     | 2.30   |              | CS-524    | Core Box Bit            | AB     | 3.60    |
|              | A-408SJ   | Straight Bit                         | AB     | 1.20   |              | CS-528    | Core Box Bit            | AB     | 3.60    |
|              | A-410J    | Straight Bit                         | AB     | 1.60   |              | CS-532    | Core Box Bit            | AB     | 3.85    |
|              | A-412J    | Straight Bit                         | AB     | 1.70   |              | CS-540    | Core Box Bit            | AB     | 4.95    |
|              | A-412L    | Straight Bit                         | AB     | 1.95   | 8            | D-6       | Sander-Polisher         | AB     | 44.50   |
|              | A-412LC   | Carbide Straight Bit                 | AB     | 9.95   | 8            | D-6HK     | D-6 Home Kit            | AB     | 59.50   |
|              | A-414J    | Straight Bit                         | AB     | 1.90   | 8            | D-6SK     | D-6 Shop Kit            | AB     | 69.50   |
|              | A-416J    | Straight Bit                         | AB     | 2.10   |              | D-402     | Adapter                 | AB     | .80     |
|              | A-416C    | Carbide Straight Bit                 | AB     | 10.95  |              | D-403     | Adapter                 | AB     | .80     |
|              | A-516     | Straight Bit                         | AB     | 3.75   |              | D-404     | Adapter                 | AB     | .80     |
|              | A-724     | Straight Bit                         | AB     | 4.00   |              | D-405A    | Adapter                 | AB     | .80     |
|              | A-812     | Straight Bit                         | AB     | 2.65   |              | D-406A    | Adapter                 | AB     | .80     |
|              | A-816     | Straight Bit                         | AB     | 2.85   | 18           | D-508     | Adapter                 | AB     | 1.00    |
|              | A-816LC   | Carbide Straight Bit                 | AB     | 11.50  |              | D-708     | Adapter                 | AB     | 1.50    |
|              | A-816LR   | Fast-Cutting Straight Bit            | AB     | 3.95   |              | D-710     | Adapter                 | AB     | 1.50    |
| 25           | A-1036    | HOW TO USE PORTABLE POWER TOOLS Book | ABCD   | 1.50   | 24           | D-808     | Adapter                 | AB     | 2.25    |
|              | AA-402    | Straight Bit                         | AB     | 1.00   | 24           | D-810     | Adapter                 | AB     | 2.50    |
|              | AA-403    | Straight Bit                         | AB     | 1.10   | 24           | D-812     | Adapter                 | AB     | 2.50    |
|              | AA-404    | Straight Bit                         | AB     | 1.15   | 24           | D-814     | Adapter                 | AB     | 2.75    |
|              | AA-405    | Straight Bit                         | AB     | 1.20   |              | DS-405    | Adapter                 | AB     | .70     |
|              | AA-406    | Straight Bit                         | AB     | 1.35   | 24           | DT-408J   | Dovetail Bit            | AB     | 2.95    |
|              | AC-504    | Shaper Collar                        | AB     | .30    | 24           | DT-416J   | Dovetail Bit            | AB     | 3.70    |
|              | AC-506    | Shaper Collar                        | AB     | .30    |              | E-408J    | Corner Rounding Bit     | AB     | 3.50    |
|              | AC-508    | Shaper Collar                        | AB     | .30    |              | E-412J    | Corner Rounding Bit     | AB     | 4.00    |
|              | AC-512    | Shaper Collar                        | AB     | .30    |              | E-416     | Corner Rounding Bit     | AB     | 4.25    |
|              | AS-516    | Straight Bit                         | AB     | 2.60   |              | ES-508    | Corner Rounding Bit     | AB     | 3.30    |
|              | AS-520    | Straight Bit                         | AB     | 2.50   |              | ES-512    | Corner Rounding Bit     | AB     | 3.85    |
|              | AS-522    | Straight Bit                         | AB     | 3.00   |              | ES-516    | Corner Rounding Bit     | AB     | 4.00    |
|              | AS-524    | Straight Bit                         | AB     | 3.00   |              | F-408J    | Beading Bit             | AB     | 4.25    |
|              | AS-526    | Straight Bit                         | AB     | 3.00   |              | F-412J    | Beading Bit             | AB     | 5.00    |
|              | AS-528    | Straight Bit                         | AB     | 3.00   |              | F-416     | Beading Bit             | AB     | 5.50    |
|              | AS-530    | Straight Bit                         | AB     | 3.00   |              | FS-504    | Beading Bit             | AB     | 2.65    |
|              | AS-532    | Straight Bit                         | AB     | 3.15   |              | FS-508    | Beading Bit             | AB     | 3.60    |
|              | AS-534    | Straight Bit                         | AB     | 3.15   |              | FS-512    | Beading Bit             | AB     | 4.25    |
|              | AS-536    | Straight Bit                         | AB     | 3.15   | 25           | G-13      | Grinding Wheel          | AB     | .80     |
|              | AS-538    | Straight Bit                         | AB     | 3.15   |              | G-13Y     | Grinding Wheel Assy.    | A      | 1.65    |
|              | AS-540    | Straight Bit                         | AB     | 3.25   |              | G-408J    | Cove Bit                | AB     | 4.75    |
|              | AS-544    | Straight Bit                         | AB     | 3.25   |              | G-412J    | Cove Bit                | AB     | 5.00    |
| 24           | B-19      | Wrench                               | A      | .55    |              | G-416     | Cove Bit                | AB     | 5.50    |
|              | BA-1      | Arbor                                | AB     | 1.00   | 24           | GHT-21Y   | Accessory Kit           | AB     | 4.75    |
|              | BA-406J   | Sash Beading Bit                     | AB     | 3.75   | 24           | GHT-24    | 5006-5518 Carrying Case | AB     | 7.50    |
|              | BAA-1L    | Arbor                                | AB     | .90    |              | GS-508    | Cove Bit                | AB     | 3.30    |
| 3, 6         | BB-1Y     | Saw Table Adapter                    | AB     | 3.95   |              | GS-512    | Cove Bit                | AB     | 3.85    |
| 5, 6         | BB-2Y     | Saw Table Adapter                    | AB     | 3.95   |              | H-424     | Chamfer Bit             | AB     | 5.00    |
| 4, 6         | BB-3Y     | Saw Table Adapter                    | AB     | 3.95   | 24           | HB-47Y    | Jamb Gauge              | AB     | 1.00    |
| 4, 6         | BB-4Y     | Saw Table Adapter                    | AB     | 3.95   | 24           | HB-48Y    | Jamb Gauge              | AB     | 1.15    |
| 6, 7         | BB-5Y     | Saw Guard Unit                       | AB     | 4.50   | 24           | HB-49Y    | Jamb Gauge              | AB     | 1.00    |
| 2            | BB-6Y     | Saw Table Adapter                    | ABC    | 3.95   | 24           | HB-50Y    | Jamb Gauge              | AB     | .80     |
|              |           |                                      |        |        | 24           | HB-51Y    | Jamb Gauge              | AB     | 1.10    |

\* Long Jackshafts available at \$7.00 extra.

| Catalog Page | Model No. | Description                 | Dealer | Price | Catalog Page | Model No. | Description                  | Dealer | Price  |
|--------------|-----------|-----------------------------|--------|-------|--------------|-----------|------------------------------|--------|--------|
| 24           | HB-54     | Jamb Gauge Screw.....       | AB     | .05   |              | SP-412    | Pilot .....                  | AB     | .85    |
|              | HS-524    | Chamfer Bit .....           | AB     | 4.20  |              | SP-416    | Pilot .....                  | AB     | .85    |
|              | L-412J    | Rabbeting Bit .....         | AB     | 4.50  |              | SP-420    | Pilot .....                  | AB     | .85    |
|              | LS-512    | Rabbeting Bit .....         | AB     | 4.50  | 18           | SRB-7Y    | Straight Gauge .....         | A      | 3.80   |
|              | M-604     | Straight Face Cutter.....   | AB     | 1.90  | 18           | SRB-14Y   | Paneling Gauge.....          | A      | 3.75   |
|              | M-606     | Straight Face Cutter.....   | AB     | 2.00  | 18           | SRB-15Y   | Alternate Position Adapter.. | A      | 1.75   |
|              | M-608     | Straight Face Cutter.....   | AB     | 2.30  | 18           | SRB-16Y   | Auxiliary Switch.....        | A      | 9.50   |
|              | M-612     | Straight Face Cutter.....   | AB     | 2.60  | 18           | SRB-18Y   | Cutter & Shaft .....         | A      | 13.50  |
|              | M-616     | Straight Face Cutter.....   | AB     | 2.90  |              | SRB-20Y   | Shaper Spindle .....         | A      | 2.80   |
|              | M-624     | Straight Face Cutter.....   | AB     | 3.40  |              | SRB-21Y   | Shaper Spindle .....         | A      | 3.20   |
|              | M-632     | Straight Face Cutter.....   | AB     | 3.95  | 18           | SRB-24    | Collet .....                 | A      | 4.50   |
|              | N-608     | Corner Round & Bead Cutter  | AB     | 2.50  | 18           | SRB-25    | Wrench .....                 | A      | .25    |
|              | N-612     | Corner Round & Bead Cutter  | AB     | 2.80  | 18           | SRB-28    | Collet .....                 | A      | 4.50   |
|              | N-616     | Corner Round & Bead Cutter  | AB     | 3.25  | 24           | SRB-31    | Adapter .....                | A      | 2.50   |
|              | N-620     | Corner Round Cutter.....    | AB     | 4.00  |              | SRB-33    | Arbor .....                  | A      | 1.40   |
|              | N-624     | Corner Round Cutter.....    | AB     | 4.50  | 19           | SRB-46C   | Carbide Straight Cutter....  | A      | 37.50  |
|              | NR-656    | Cove & Bead Cutter.....     | AB     | 7.25  | 19           | SRB-47    | Spiral Cutter.....           | A      | 10.50  |
|              | NR-666    | Ogee Cutter .....           | AB     | 6.50  | 19           | SRB-48    | Cutter Shaft.....            | A      | 2.85   |
|              | NRA-455J  | Roman Ogee Cutter.....      | AB     | 5.00  | 19           | SRB-49    | Wrench .....                 | A      | .40    |
|              | NRA-488   | Roman Ogee Cutter.....      | AB     | 5.75  | 18           | SRC-7Y    | Straight Gauge.....          | A      | 6.75   |
|              | OL-616    | Chamfer Cutter.....         | AB     | 3.00  | 18           | SRC-15Y   | Alternate Position Adapter.. | A      | 2.00   |
|              | OR-616    | Chamfer Cutter.....         | AB     | 3.00  | 18           | SRC-16Y   | Auxiliary Switch.....        | A      | 10.50  |
|              | P-616     | Surface Bead Cutter.....    | AB     | 4.00  | 18           | SRC-24    | Collet .....                 | A      | 8.50   |
|              | P-624     | Surface Bead Cutter.....    | AB     | 4.50  |              | ST-520    | Stair Routing Bit.....       | AB     | 3.50   |
| 17           | PR-26     | Collet .....                | AB     | 2.40  | 24           | STT-26Y   | Nosing Block.....            | AB     | 5.50   |
| 17           | PR-27     | Wrench .....                | AB     | .25   | 24           | B-91      | Templet Guide.....           | AB     | .95    |
| 17           | PR-47Y    | Edge Guide.....             | AB     | 2.20  |              | B-92      | Templet Guide.....           | AB     | .95    |
| 17           | PR-82Y    | Spindle .....               | AB     | 2.20  | 24           | B-93      | Templet Guide.....           | AB     | .95    |
|              | PR-83Y    | Plane Cutter.....           | AB     | 4.95  |              | B-94      | Templet Guide.....           | AB     | .95    |
| 16           | PR-85Y    | Weatherstrip Guide.....     | AB     | .50   |              | B-95      | Templet Guide.....           | AB     | .95    |
|              | PR-100    | Bushing .....               | AB     | .05   |              | B-96      | Templet Guide.....           | AB     | .95    |
|              | PR-101    | Bushing .....               | AB     | .05   |              | B-97      | Templet Guide.....           | AB     | .95    |
|              | PR-102    | Bushing .....               | AB     | .05   |              | B-99      | Lock Nut.....                | AB     | .50    |
|              | PR-103    | Bushing .....               | AB     | .10   |              | B-103     | Templet Guide.....           | AB     | .95    |
|              | PR-104    | Bushing .....               | AB     | .10   |              | B-104     | Templet Guide.....           | AB     | .95    |
|              | PR-105    | Bushing .....               | AB     | .10   | 24           | B-116     | Templet Guide.....           | AB     | .95    |
| 17           | PR-123Y   | Circular Bracket.....       | AB     | 2.75  | 24           | UKC       | Corner Chisel.....           | AB     | 6.00   |
| 17           | PR-126    | Clamp .....                 | AB     | .10   | 24           | ULF       | Lock Face Templet.....       | AB     | 49.50  |
| 17           | PR-134Y   | Basic Bit Kit .....         | AB     | 10.75 | 25           | ULM       | Lock Mortiser .....          | A      | 249.50 |
| 17           | PR-138Y   | Basic Bit Kit .....         | AB     | 9.95  | 25           | ULM-Y1    | Lock Mortiser Attachment..   | A      | 149.50 |
| 15, 24       | PR-139Y   | Dovetail Accessory Kit .... | ABC    | 4.75  | 24           | UST       | Stair Templet .....          | A      | 99.50  |
| 16, 18       | PR-145    | 100-101 Carrying Case....   | AB     | 11.00 |              | V-490     | Grooving Bit.....            | AB     | 5.50   |
| 16           | PR-148    | Rear Shoe Plate.....        | AB     | .35   |              | W-505     | Weatherstrip Cutter.....     | AB     | 1.75   |
| 16           | PR-149    | Front Shoe Plate.....       | AB     | .35   |              | W-506     | Weatherstrip Cutter.....     | AB     | 1.75   |
| 16           | PR-153    | Sub-base .....              | AB     | 3.00  |              | W-508     | Weatherstrip Cutter.....     | AB     | 1.75   |
| 19           | PRG-17    | Grinding Wheel.....         | AB     | 1.45  |              | W-509     | Weatherstrip Cutter.....     | AB     | 1.75   |
|              | R-608     | Cove Cutter.....            | AB     | 2.25  |              | W-510     | Weatherstrip Cutter.....     | AB     | 1.75   |
|              | R-612     | Cove Cutter.....            | AB     | 3.00  |              | W-512     | Weatherstrip Cutter.....     | AB     | 1.75   |
|              | R-616     | Cove Cutter.....            | AB     | 3.75  |              | W-514     | Weatherstrip Cutter.....     | AB     | 1.90   |
|              | R-620     | Cove Cutter.....            | AB     | 4.75  |              | W-516     | Weatherstrip Cutter.....     | AB     | 2.00   |
|              | RN-644    | Bead & Cove Cutter.....     | AB     | 6.50  |              | W-517     | Weatherstrip Cutter.....     | AB     | 2.00   |
|              | SG-28Y    | Sash Groover Cutter.....    | AB     | 18.00 |              | W-518     | Weatherstrip Cutter.....     | AB     | 2.00   |

| Catalog Page          | GRITS FOR | 2x21  | 2x21 | 3x21 | 3x24 | 3x27 | 3x27 | 4x27 | 4x27 |
|-----------------------|-----------|-------|------|------|------|------|------|------|------|
|                       | Metal     | Wood  | A,SA | M,T  | A,SA | A,SA | M,T  | A,SA | M,T  |
| <b>Abrasive Belts</b> |           |       |      |      |      |      |      |      |      |
| 7                     | 150-320   | 4/0   | .24  | .28  | .30  | .30  | .32  | .39  | .41  |
| 7                     | 120       | 3/0   | .25  | .28  | .30  | .30  | .33  | .40  | .42  |
| 7                     | 100       | 2/0   | .26  | .28  | .31  | .31  | .33  | .41  | .43  |
| 7                     | 80        | 1/0   | .27  | .29  | .33  | .33  | .35  | .42  | .44  |
| 7                     | 60        | 1/2   | .29  | .30  | .35  | .35  | .37  | .43  | .45  |
| 7                     | 50        | 1     | .30  | .31  | .36  | .36  | .38  | .44  | .46  |
| 7                     | 40        | 1 1/2 | .31  | .33  | .37  | .37  | .38  | .45  | .47  |
| 7                     | 36        | 2     | .32  | .35  | .38  | .38  | .39  | .46  | .48  |
| 7                     | 30        | 2 1/2 | .33  | .36  | .39  | .39  | .41  | .47  | .49  |
| 7                     | 24        | 3     | .34  | .37  | .40  | .40  | .43  | .48  | .50  |
| 7                     |           | 3 1/2 | .36  |      | .43  | .43  | .50  | .61  |      |
| 7                     |           | 4     | .37  |      | .44  | .44  | .51  | .62  |      |

Grits in 3 1/2 and 4 available in SA only. A—Artificial for hard wood. M—Aluminum Oxide for ferrous metals. SA—Spaced for point or varnish. T—Silicon Carbide for stone, marble, glass, aluminum and non-ferrous metals.

Available only in cartons containing 10 belts of same grit and belt size. On orders, specify grit number, belt size, grit type, quantity and material to be surfaced.

| Grit                                     | Quan. | Price |
|------------------------------------------|-------|-------|
| Abrasive Sheets, 3 1/2" x 9" and 3" x 8" |       |       |
| 1.....                                   | 10    | .90   |
|                                          | 1     | .10   |
| 1/2.....                                 | 10    | .80   |
|                                          | 1     | .09   |
| 1/0.....                                 | 10    | .70   |
|                                          | 1     | .08   |
| 2/0.....                                 | 10    | .65   |
|                                          | 1     | .07   |
| 3/0.....                                 | 10    | .65   |
|                                          | 1     | .07   |
| 4/0.....                                 | 10    | .65   |
|                                          | 1     | .07   |

Minimum pkg. 10 sheets of any single grit size. Available in open-coat Aluminum Oxide only.

### 230 VOLT MOTORS

230 Volt Motors are available for Models 125, 127, 515, 516 and their Kits at \$3.50 extra; for Models 106 and Kit, 134, 135, 140 and 145 at \$2.50 extra; for Models 103R, 107, 109, 131, 137, D-6 and their Kits at \$2.00 extra. Surcharge for 230 Volt Motor for all other Models is \$5.00 where available (consult Cat. No. 103).

NOTE TO DEALERS: This price list supersedes and cancels all previous price lists; is subject to change without notice, and to the following conditions: f.o.b. Shipping Point, packed for domestic shipment. TERMS: Invoices dated 1st to 15th—2% if paid by 25th inst. Invoices dated 16th to 31st—2% if paid by 10th prox. Net 30 days. All shipments f.o.b. Shipping Point. CREDIT: If not satisfactorily rated in Dun & Bradstreet's E-2's or better, please furnish credit information.

TAX: Buyer agrees to bear all tax: federal, state, municipal and other taxes applicable. ACCEPTANCE: Orders not subject to cancellation unless so stated. DELIVERY: Subject to delays occasioned by strikes, fire, accidents and other conditions beyond our control. GUARANTEE: All Porter-Cable machines are guaranteed against defective workmanship and material. Under our guarantee, the Company's obligation is limited to the replacement of any parts which have been examined by the Service Depot and

found to be defective. The complete unit should be returned to the Factory, Factory Branch or Independent Service Station nearest you with transportation charges prepaid.

We consider it our obligation at all times to assist you in getting the maximum results from any Porter-Cable Machine we have had the pleasure of supplying you. No allowance is made for the elimination of any standard equipment of the machines included in our quotations. No return of machines or accessories for credit except by written permission. Distributor to pay both outbound and inbound transportation. Handling charge of 10% on all returns based on purchase price or current price, whichever is lower. An order of \$350.00 or more net qualifies for prepayment of freight. The dollar volume of the order can be made up of any combination of machines, accessories or parts. The order must be shipped to one destination only. "Add to" orders cannot be accepted to apply against orders already placed.